United States

2000 Demographic Information

2000 Population Information

Socioeconomic Indicators

Population	281,421,906	Population Under 100% of Poverty	33,899,812
Percent White	75.1%	Percent of the Population	12.4%
Percent American Indian	0.9%	Population Under 200% of Poverty	81,194,609
Percent Age 65 or Over	12.4%	Percent of the Population	29.6%
Percent Age 4 or Under	6.8%	-	

2005 Health Status Indicators¹

Natality Mortality⁵

Percent Low Birth Weight Infants	8.2%
Percent of Mothers Receiving	
Care in 1st Trimester ²	83.9%
Percent of Mothers Who	
Used Tobacco While Pregnant ³	10.7%
Births Less Than 37 Weeks of Gestation	12.7%
Average Age of Mother	27.4
Teenage Pregnancy Rate ⁴	41.5

ALL CAUSES	798.8
Heart Disease	211.1
Acute Myocardial Infarction	49.1
Atherosclerotic Heart Disease	**
Heart Failure	18.9
Malignant Neoplasms (cancer)	183.8
Trachea, Bronchus, & Lung	
Colon, Rectum, & Anus	
Female Breast	
Prostate	24.5
Pancreas	10.8
Leukemia	7.1
Non-Hodgkin's Lymphoma	6.9
Cerebrovascular Disease	46.6
Chronic Lower Respiratory Disease	43.2
Accidents	
Motor Vehicle Accidents	15.2
Alzheimer's Disease	22.9
Diabetes Mellitus	24.6
Influenza & Pneumonia	20.3
Intentional Self-Harm (suicide)	
Chronic Liver Disease and Cirrhosis	
Infant Mortality	6.87
•	

Notes:

Source: National Center for Health Statistics, Centers for Disease Control and Prevention, U.S. Department of Health and Human Services, Hyattsville, Maryland.

¹ Only one year of U.S. data are given to compare with five years of state and county data because the numbers on the national level are much greater and do not fluctuate as much annually.

² The U.S. percent of mothers receiving care in 1st trimester is based on 37 states due to lack of comparable data from the remaining states.

³ Data for mothers who used tobacco while pregnant are self-reported. The U.S. percent of mothers who used tobacco is based on 36 states due to lack of comparable data from the remaining states.


⁴ Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17. The U.S. teenage pregnancy rate is from 2004.

⁵ The mortality rates, except infant mortality are age-adjusted death rates per 100,000 population. Age-adjusting to the standard million population eliminates differences between populations, making them easier to compare. Infant mortality is calculated as the number of infant (less than one year old) deaths per 1,000 live births.

^{**} Atherosclerotic Heart Disease I25.1 was not broken out in the national data; therefore no age-adjusted rate is displayed.

South Dakota

Demographic Information



2000 Population Information

Population	754,844
Percent White	88.7%
Percent American Indian	9.0%
Percent Age 65 or Over	14.3%
Percent Age 4 or Under	6.8%

Socioeconomic Indicators

Population Under 100% of Poverty	95,900
Percent of the Population	13.2%
Population Under 200% of Poverty	240,886
Percent of the Population	33.1%

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	6.8%
*Percent of Mothers Receiving	
Care in 1st Trimester	75.2%
*Percent of Mothers Who	
Used Tobacco While Pregnant ²	18.8%
Births Less Than 37 Weeks of Gestation	9.1%
*Average Age of Mother	26.8
•Teenage Pregnancy Rate ³	19.5

Mortality⁴

801.5

ALL CAUSES.

ALL CAUSES	
Heart Disease	197.3
OAcute Myocardial Infarction	71.6
**Atherosclerotic Heart Disease	60.9
Heart Failure	10.7
oMalignant Neoplasms (cancer)	191.3
Trachea, Bronchus, & Lung	52.6
oColon, Rectum, & Anus	19.2
Female Breast	24.2
oProstate	29.3
Pancreas	11.2
oLeukemia	8.3
Non-Hodgkin's Lymphoma	7.5
oCerebrovascular Disease	49.8
oChronic Lower Respiratory Diseases	46.7
oAccidents	
OMotor Vehicle Accidents	24.1
oAlzheimer's Disease	28.7
oDiabetes Mellitus	27.2
Influenza & Pneumonia	21.5
oIntentional Self-Harm (suicide)	15.1
oChronic Liver Disease and Cirrhosis	11.7
Infant Mortality	7.05

 \bullet Denotes a health status indicator which is significantly lower than the national average.

oDenotes a health status indicator which is significantly higher than the national average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Ambulatory Surgery Center	6 8 8 1 24
Rurai Health Clinic 6	1
Community Health Services	
Public Health Alliance 1	1
Community Health Services Offices	4
Family Planning Clinics	
WIC Only Sites1	
All Women Count!	2
Bright Start Home Visitation Program	2
Children's Special Health Services	4
Hospitals	
Hospitals 1	1
Critical Access Hospitals 3	
Specialized Hospitals	
Veterans Administration Hospitals	
Indian Health Service Hospitals	
-	
Long-Term Care	
Nursing Facilities	
Assisted Living Centers	
Residential Living Centers	/
Home Health Agencies	
Medicare Certified Hospices	
Licensed Inpatient Hospices	4

See Technical Notes for more information.

Source: South Dakota Department of Health, Office of Data, Statistics, and Vital Records

¹All rates based on population are calculated according to the 2000 U.S. Census

²Data for mothers who used tobacco are self-reported.

 $^{^3\}mathrm{Teenage}$ pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.


⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

^{*}Due to lack of comparable data from all 50 states, significant differences cannot be calculated.

^{**}Atherosclerotic Heart Disease I25.1 was not broken out in the national data; therefore, significant differences cannot be calculated.

Aurora County

Demographic Information



Aurora County is located in the south central portion of the state and averages 4.3 persons per square mile.

2000 Population Information

Population	3,058
Percent White	
Percent American Indian	2.1%
Percent Age 65 or Over	21.6%
Percent Age 4 or Under	5.7%

Socioeconomic Indicators

Population Under 100% of Poverty	327
Percent of the Population	
Population Under 200% of Poverty	1,095
Percent of the Population	38.3%

¹All rates based on population are calculated according to the 2000 U.S. Census.

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants)
Percent of Mothers Receiving	
Care in 1st Trimester)
Percent of Mothers Who	
Used Tobacco While Pregnant ²)
Births Less Than 37 Weeks of Gestation)
OAverage Age of Mother	,
Teenage Pregnancy Rate ³ LNE	į

Mortality⁴

•ALL CAUSES

THEE CHUBES	
Heart Disease	168.3
Acute Myocardial Infarction	66.7
Atherosclerotic Heart Disease	24.7
Heart Failure	LNE
Malignant Neoplasms (cancer)	121.6
•Trachea, Bronchus, & Lung	24.5
Colon, Rectum, & Anus	23.4
Female Breast	
Prostate	LNE
Pancreas	
Leukemia	LNE
Non-Hodgkin's Lymphoma	
Cerebrovascular Disease	
Chronic Lower Respiratory Diseases	42.1
Accidents	
Motor Vehicle Accidents	22.3
Alzheimer's Disease	34.6
Diabetes Mellitus	16.0
Influenza & Pneumonia	
Intentional Self-Harm (suicide)	
Chronic Liver Disease and Cirrhosis	
Infant Mortality	

- •Denotes a health status indicator which is significantly lower than the state average.
- $\circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Federally Qualified Health Center:

Aurora County Clinic, Plankinton

Rural Health Clinic:

Prairie Health Clinic, Stickney

Community Health Services Community Health Services & WIC:

Aurora County Courthouse, Plankinton

All Women Count!

Aurora County Clinic, Plankinton

Hospitals

None

Long-Term Care

Nursing Facilities:

Aurora-Brule Nursing Home, White Lake.......... 52 beds

Assisted Living Centers:

None

Residential Living Centers:

None

Home Health Agencies:

None

Medicare Certified Hospices:

None


²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Beadle County

Demographic Information



Beadle County is located in the center of eastern South Dakota and averages 13.5 persons per square mile.

2000 Population Information

Population	17,023
Percent White	
Percent American Indian	1.3%
Percent Age 65 or Over	19.4%
Percent Age 4 or Under	

Socioeconomic Indicators

Population Under 100% of Poverty	1,977
Percent of the Population	11.9%
Population Under 200% of Poverty	5,740
Percent of the Population	34.5%

 $^{{}^{\}bar{1}}$ All rates based on population are calculated according to the 2000 U.S. Census.

Health Status Indicators¹

Natality

Percent Low Birth Weight Infants	8.8%
Percent of Mothers Receiving	
Care in 1st Trimester	69.3%
oPercent of Mothers Who	
Used Tobacco While Pregnant ²	22.4%
Births Less Than 37 Weeks of Gestation	9.7%
Average Age of Mother	26.3
Teenage Pregnancy Rate ³	17.7

Mortality⁴ ALL CAUSES......761.0

Heart Disease	.186.4
Acute Myocardial Infarction	59.5
Atherosclerotic Heart Disease	
Heart Failure	8.6
Malignant Neoplasms (cancer)	.183.1
Trachea, Bronchus, & Lung	
Colon, Rectum, & Anus	26.7
Female Breast	21.5
Prostate	38.1
Pancreas	5.8
Leukemia	
Non-Hodgkin's Lymphoma	10.1
Cerebrovascular Disease	53.0
Chronic Lower Respiratory Diseases	35.1
Accidents	32.9
Motor Vehicle Accidents	8.1
Alzheimer's Disease	12.8
Diabetes Mellitus	35.4
Influenza & Pneumonia	26.1
Intentional Self-Harm (suicide)	18.3
Chronic Liver Disease and Cirrhosis	6.8
Infant Mortality	6.94
• Denotes a health status indicator which is significantly low	ver than

 Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Inpatient Chemical Dependency Facilities:

Rediscovery Drug & Alcohol Treatment Program, Huron

Medicare Certified End Stage Renal Dialysis:

Huron Regional Medical Center, Huron

Community Health Services

Community Health Services & WIC:

495 3rd SW, Huron

Family Planning Clinics:

Women's Health & Education Center, Huron

All Women Count!

Belyea Balvin Clinic, Huron
Dr. Michael Becker, Huron
Dr. Nathan Loewen, Huron
Huron Clinic, Huron
Tschetter & Hohm Clinic, Huron
Women's Health & Educational Center, Huron

Hospitals

Critical Access Hospital:

Huron Reg Med Cntr, Huron......25 beds/10 swing

Long-Term Care

Nursing Facilities:

Huron Nursing Home, Huron	140 beds
Violet Tschetter Memorial Home, Huron	58 beds

Assisted Living Centers:

Residential Living Centers:

Caring Hearts, Huron	4 1	beds
Country View Estates, Huron	. 191	beds

Home Health Agencies:

Huron Regional Medical Center HHA, Huron

Medicare Certified Hospices:

Huron Regional Medical Center Hospice, Huron


²Data for mothers who used tobacco are self-reported.

 $^{^3}$ Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Bennett County

Demographic Information



Bennett County is located on the southern border in western South Dakota and averages 3.0 persons per square mile.

2000 Population Information

Population	3,574
Percent White	
Percent American Indian	58.1%
Percent Age 65 or Over	11.1%
Percent Age 4 or Under	

Socioeconomic Indicators

Population Under 100% of Poverty	1,367
Percent of the Population	39.2%
Population Under 200% of Poverty	2,144
Percent of the Population	61.5%

 $[\]overline{\,^1}\text{All}$ rates based on population are calculated according to the 2000 U.S. Census.

Health Status Indicators¹

Natality

Percent Low Birth Weight Infants
 Percent of Mothers Receiving
Care in 1st Trimester
Percent of Mothers Who
Used Tobacco While Pregnant ²
Births Less Than 37 Weeks of Gestation
• Average Age of Mother24.6
oTeenage Pregnancy Rate ³ 39.3

Mortality⁴

ALL CALISES

ALL CAUSES	951.1
Heart Disease	
Acute Myocardial Infarction	38.2
Atherosclerotic Heart Disease	48.4
Heart Failure	
Malignant Neoplasms (cancer)	161.7
Trachea, Bronchus, & Lung	LNE
Colon, Rectum, & Anus	38.6
Female Breast	LNE
Prostate	LNE
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	
Chronic Lower Respiratory Diseases	79.5
Accidents	71.5
Motor Vehicle Accidents	47.2
Alzheimer's Disease	30.7
oDiabetes Mellitus	72.5
Influenza & Pneumonia	35.9
Intentional Self-Harm (suicide)	LNE
Chronic Liver Disease and Cirrhosis	48.0
Infant Mortality	12.23

 \bullet Denotes a health status indicator which is significantly lower than the state average.

 $\circ Denotes$ a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Federally Qualified Health Center:

Bennett County Community Health Center, Martin

Rural Health Clinic:

Main Street Medical Clinic, Martin

Community Health Services

Community Health Services, WIC & Family

Planning: Bennett County Courthouse, Martin

All Women Count!

Bennett County Clinic Horizon Health, Martin Main Street Medical Clinic, Martin

Hospitals

Critical Access Hospital:

Bennett County Hospital and Nursing Home, Martin20 beds/10 swing

Long-Term Care

Nursing Facilities:

Bennett County Hospital and NH, Martin45 beds

Assisted Living Centers:

Bennett County Hospital and NH, Martin 2 beds

Residential Living Centers:

None

0511

Home Health Agencies:

Bennett County Home Health, Martin


Medicare Certified Hospices:

None

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Bon Homme County is located on the Nebraska border in eastern South Dakota and averages 12.9 persons per square mile.

2000 Population Information

Population	7,260
Percent White	95.5%
Percent American Indian	3.3%
Percent Age 65 or Over	20.8%
Percent Age 4 or Under	4.9%

Socioeconomic Indicators

Population Under 100% of Poverty	802
Percent of the Population	12.9%
Population Under 200% of Poverty	2,274
Percent of the Population	36.5%

¹All rates based on population are calculated according to the 2000 U.S. Census.

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	5.3%
Percent of Mothers Receiving	
Care in 1st Trimester	82.9%
Percent of Mothers Who	
Used Tobacco While Pregnant ²	19.7%
Births Less Than 37 Weeks of Gestation	5.0%
OAverage Age of Mother	27.5
•Teenage Pregnancy Rate ³	8.2

Mortality⁴

• ALL CAUSES

•ALL CAUSES	0//.9
Heart Disease	
Acute Myocardial Infarction	62.5
Atherosclerotic Heart Disease	61.0
Heart Failure	12.2
Malignant Neoplasms (cancer)	188.1
Trachea, Bronchus, & Lung	45.5
Colon, Rectum, & Anus	27.8
Female Breast	22.1
Prostate	27.3
Pancreas	10.9
Leukemia	LNE
Non-Hodgkin's Lymphoma	13.3
Cerebrovascular Disease	44.6
Chronic Lower Respiratory Diseases	31.5
Accidents	34.9
Motor Vehicle Accidents	22.3
Alzheimer's Disease	16.0
ODiabetes Mellitus	47.4
Influenza & Pneumonia	18.2
Intentional Self-Harm (suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

•Denotes a health status indicator which is significantly lower than the state average.

ODenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Rural Health Clinic:

Bon Homme Family Practice, Avon Bon Homme Family Practice, Tyndall

Community Health Services

Community Health Services, WIC & Family

Planning: Bon Homme County Courthouse, Tyndall

All Women Count!

677.9

Avera Bon Homme Family Practice, Avon Springfield Family Clinic, Springfield Bon Homme Family Practice Clinic, Tyndall Landmann-Jungman Memorial Hospital, Scotland Scotland Medical Clinic, Scotland

Hospitals

Critical Access Hospitals:

Landmann-Jungman Memorial Hospit	al,
Scotland	25 beds/10 swing
St. Michael's Hospital, Tyndall	25 beds/15 swing

Long-Term Care

Nursing Facilities:

Good Samaritan Society, Scotland	39 beds
Good Samaritan Society, Tyndall	71 beds
St. Michael's Nursing Home, Tyndall	9 beds

Assisted Living Centers:

Good Samaritan Society, Scotland	8 beds
Springfield ALC, Springfield	36 beds

Residential Living Centers:

None

Home Health Agencies:

Scotland Area Home Care Agency, Scotland St. Michael's Home Health, Tyndall


Medicare Certified Hospices:

Scotland Area Hospice, Scotland

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Brookings County is located on the eastern border of the state and averages 35.5 persons per square mile.

2000 Population Information

Population	28,220
Percent White	96.4%
Percent American Indian	1.2%
Percent Age 65 or Over	10.9%
Percent Age 4 or Under	5.7%

Socioeconomic Indicators

Population Under 100% of Poverty	3,562
Percent of the Population	14.0%
Population Under 200% of Poverty	8,050
Percent of the Population	31.7%

 $^{{}^{\}overline{1}}$ All rates based on population are calculated according to the 2000 U.S. Census.

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	4.5%
oPercent of Mothers Receiving	
Care in 1st Trimester	84.9%
 Percent of Mothers Who 	
Used Tobacco While Pregnant ²	12.8%
Births Less Than 37 Weeks of Gestation	6.7%
OAverage Age of Mother	27.3
•Teenage Pregnancy Rate ³	10.7

Mortality⁴

•ALL CAUSES	679.6
Heart Disease	159.7
Acute Myocardial Infarction	45.5
Atherosclerotic Heart Disease	48.0
Heart Failure	11.9
Malignant Neoplasms (cancer)	182.7
Trachea, Bronchus, & Lung	
Colon, Rectum, & Anus	22.3
Female Breast	19.8
Prostate	21.0
Pancreas	7.8
Leukemia	8.6
Non-Hodgkin's Lymphoma	5.3
Cerebrovascular Disease	53.5
Chronic Lower Respiratory Diseases	33.3
Accidents	
Motor Vehicle Accidents	13.6
Alzheimer's Disease	25.5
Diabetes Mellitus	22.6
oInfluenza & Pneumonia	32.0
•Intentional Self-Harm (suicide)	8.1
Chronic Liver Disease and Cirrhosis	
Infant Mortality	5.25
-D (1 1/1 () 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 41

•Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Ambulatory Surgery Center:

Brookings Ambulatory Surgery Center, Brookings

Medicare Certified End Stage Renal Dialysis:

Satellite Dialysis, Brookings

Rural Health Clinic:

Avera Volga Community Clinic, Volga White Family Practice Clinic, White

Community Health Services

Community Health Services & WIC:

1310 Main Ave. South STE 105, Brookings

Family Planning Clinics:

Sanford Health Clinic, Brookings

All Women Count!

Avera Brookings Medical Clinic, Brookings Sanford Health Clinic, Brookings White Family Practice Clinic, White

Hospitals

Brookings Hospital, Brookings...........49 beds/20 swing

Long-Term Care

Nursing Facilities:

Brookview Manor, Brookings	. 79 beds
United Retirement Center, Brookings	. 79 beds
White Healthcare Center, White	.33 beds

Assisted Living Centers:

There are 6 assisted living centers in Brookings County. For more information refer to page 242 in the Appendix.

Residential Living Centers:

Park Place Apartments, Brookings	16	beds
Elkton Residential Living Center, Elkton	1	bed

Home Health Agencies:

Brookings Health System Home Health, Brookings


Medicare Certified Hospices:

Brookings Hospital Hospice, Brookings

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Brown County is located on the North Dakota border in the eastern part of the state and averages 20.7 persons per square mile.

2000 Population Information

Population	35,460
Percent White	
Percent American Indian	3.3%
Percent Age 65 or Over	16.2%
Percent Age 4 or Under	

Socioeconomic Indicators

Population Under 100% of Poverty	3,373
Percent of the Population	9.9%
Population Under 200% of Poverty	10,334
Percent of the Population	30.4%

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	6.4%
oPercent of Mothers Receiving	
Care in 1st Trimester	82.3%
 Percent of Mothers Who 	
Used Tobacco While Pregnant ²	15.2%
Births Less Than 37 Weeks of Gestation	9.0%
Average Age of Mother	
•Teenage Pregnancy Rate ³	11.4

Mortality⁴

• ALL CAUSES

•ALL CAUSES	/41.4
Heart Disease	219.8
OAcute Myocardial Infarction	104.5
Atherosclerotic Heart Disease	56.3
Heart Failure	7.8
Malignant Neoplasms (cancer)	173.9
Trachea, Bronchus, & Lung	50.8
Colon, Rectum, & Anus	16.5
Female Breast	23.0
Prostate	23.8
Pancreas	8.0
Leukemia	8.5
Non-Hodgkin's Lymphoma	8.2
Cerebrovascular Disease	
Chronic Lower Respiratory Diseases	39.4
• Accidents	28.7
Motor Vehicle Accidents	
Alzheimer's Disease	
Diabetes Mellitus	
Influenza & Pneumonia	25.0
•Intentional Self-Harm (suicide)	
Chronic Liver Disease and Cirrhosis	
Infant Mortality	
•	

- Denotes a health status indicator which is significantly lower than the state average.
- $\circ Denotes$ a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Ambulatory Surgery Center:

Surgical Associates Endoscopy Center, Aberdeen United Clinic. Aberdeen

Disease Intervention Office:

402 S Main St, Aberdeen

Federally Qualified Health Center:

South Dakota Urban Indian Health, Aberdeen

Medicare Certified End Stage Renal Dialysis:

Avera St. Luke's ESRD, Aberdeen

Community Health Services

Community Health Services, WIC & Family

Planning: Brown Co Comm Health Center, Aberdeen

Family Planning Clinics:

Brown County Community Health Center, Aberdeen Urban Indian Health, Aberdeen

All Women Count!

7414

There are 6 All Women Count! sites in Brown County. For more information refer to page 242 in the Appendix.

Children's Special Health Services:

201 South Lloyd St, Aberdeen

Hospitals

Avera St. Luke's, Aberdeen......139 beds/10 swing **Specialized Hospital:**Dakota Plains Surgical Center, Aberdeen......8 beds

Long-Term Care

Nursing Facilities:

There are 5 nursing facilities in Brown County. For more information refer to page 242 in the Appendix.

Assisted Living Centers:

There are 5 assisted living centers in Brown County. For more information refer to page 242 in the Appendix.

Residential Living Centers:

There are 5 residential living centers in Brown County. For more information refer to page 242 in the Appendix.

Home Health Agencies:

Avera St. Luke's North Plains, Aberdeen

Medicare Certified Hospices:

North Plains Hospice of Avera St. Luke's, Aberdeen

¹All rates based on population are calculated according to the 2000 U.S. Census.


²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Brule County

Demographic Information



Brule County is located in the south central part of the state and averages 6.5 persons per square mile.

2000 Population Information

Population	5,364
Percent White	
Percent American Indian	9.1%
Percent Age 65 or Over	16.9%
Percent Age 4 or Under	

Socioeconomic Indicators

Population Under 100% of Poverty	741
Percent of the Population	
Population Under 200% of Poverty	
Percent of the Population	37.8%

¹All rates based on population are calculated according to the 2000 U.S.

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	4.4%
Percent of Mothers Receiving	
Care in 1st Trimester	73.3%
 Percent of Mothers Who 	
Used Tobacco While Pregnant ²	13.6%
Births Less Than 37 Weeks of Gestation	5.9%
OAverage Age of Mother	27.8
•Teenage Pregnancy Rate ³	6.9
0 0 7	

Mortality⁴

ALL CAUSES	771.6
Heart Disease	213.4
Acute Myocardial Infarction	117.5
Atherosclerotic Heart Disease	52.3
Heart Failure	
Malignant Neoplasms (cancer)	169.6
Trachea, Bronchus, & Lung	34.2
Colon, Rectum, & Anus	20.1
Female Breast	51.9
Prostate	28.8
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	14.3
Cerebrovascular Disease	57.9
Chronic Lower Respiratory Diseases	40.0
Accidents	55.5
Motor Vehicle Accidents	16.0
Alzheimer's Disease	24.1
Diabetes Mellitus	35.2
Influenza & Pneumonia	
Intentional Self-Harm (suicide)	15.6
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

- •Denotes a health status indicator which is significantly lower than the state average.
- ODenotes a health status indicator which is significantly higher than

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Medicare Certified End Stage Renal Dialysis Sanford Mid-Dakota Dialysis, Chamberlain

Community Health Services Community Health Service/PHA, WIC & Family Planning:

Sioux Valley Home Care Services, Chamberlain

All Women Count!

Avera Community Clinic, Chamberlain Sanford Clinic, Chamberlain Kimball Medical Clinic, Kimball

Hospitals

Critical Access Hospital:

Sanford Mid-Dakota Hospital,

Long-Term Care

Nursing Facilities:

Mid-Dakota Long Term Care, Chamberlain....... 42 beds

Assisted Living Centers:

Regency Retirement Assisted Living,	
Chamberlain	36 beds
Riverview Retirement Home, Chamberlain	10 beds
Prairie View ALC, Kimball	16 beds

Residential Living Centers:

Home Health Agencies:

Sanford Visiting Nurses Association, Chamberlain

Medicare Certified Hospices:

Mid-Dakota Community Based Hospice, Chamberlain


See Technical Notes for more information.

Source: South Dakota Department of Health, Office of Data, Statistics, and Vital Records

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Buffalo County is located in the central portion of the state and averages 4.3 persons per square mile.

2000 Population Information

Population	2,032
Percent White	
Percent American Indian	83.3%
Percent Age 65 or Over	6.5%
Percent Age 4 or Under	

Socioeconomic Indicators

Population Under 100% of Poverty	1,152
Percent of the Population	
Population Under 200% of Poverty	1,618
Percent of the Population	79.9%

¹All rates based on population are calculated according to the 2000 U.S. Census

Health Status Indicators¹ 2003-2007

Natality

7.5%
8.5%
0.8%
9.5%
. 24.3
. 34.3

Mortality⁴

oall causes	1259.4
Heart Disease	315.6
Acute Myocardial Infarction	125.3
Atherosclerotic Heart Disease	96.9
Heart Failure	LNE
Malignant Neoplasms (cancer)	245.5
Trachea, Bronchus, & Lung	86.0
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Prostate	LNE
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	LNE
Chronic Lower Respiratory Diseases	LNE
Accidents	106.0
Motor Vehicle Accidents	47.9
Alzheimer's Disease	LNE
oDiabetes Mellitus	130.8
Influenza & Pneumonia	LNE
○Intentional Self-Harm (suicide)	69.9
Chronic Liver Disease and Cirrhosis	
Infant Mortality	LNE

- \bullet Denotes a health status indicator which is significantly lower than the state average.
- $\circ Denotes$ a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Community Health Services

WIC Site:

IHS Clinic, Ft. Thompson

All Women Count!

Ft. Thompson IHS Health Center, Ft. Thompson

Hospitals

None

Long-Term Care

Nursing Facilities:

None

Assisted Living Centers:

None

Residential Living Centers:

None

Home Health Agencies:

None


Medicare Certified Hospices:

None

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Butte County is located on the western border of the state and averages 4.0 people per square mile.

2000 Population Information

Population	9,094
Percent White	95.5%
Percent American Indian	2.7%
Percent Age 65 or Over	15.2%
Percent Age 4 or Under	

Socioeconomic Indicators

Population Under 100% of Poverty	1,147
Percent of the Population	
Population Under 200% of Poverty	3,962
Percent of the Population	44.2%

¹All rates based on population are calculated according to the 2000 U.S.

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	6.9%
Percent of Mothers Receiving	
Care in 1st Trimester	77.3%
oPercent of Mothers Who	
Used Tobacco While Pregnant ²	26.1%
Births Less Than 37 Weeks of Gestation	8.3%
Average Age of Mother	26.2
Teenage Pregnancy Rate ³	16.5

Mortality⁴

oall causes	944.5
Heart Disease	208.3
Acute Myocardial Infarction	48.2
○Atherosclerotic Heart Disease	99.9
Heart Failure	12.5
oMalignant Neoplasms (cancer)	244.2
oTrachea, Bronchus, & Lung	81.3
Colon, Rectum, & Anus	20.3
Female Breast	24.1
Prostate	31.3
Pancreas	19.1
Leukemia	9.9
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	47.2
oChronic Lower Respiratory Diseases	92.0
Accidents	48.2
Motor Vehicle Accidents	24.4
Alzheimer's Disease	19.4
Diabetes Mellitus	31.0
Influenza & Pneumonia	30.8
Intentional Self-Harm (suicide)	25.5
Chronic Liver Disease and Cirrhosis	
Infant Mortality	9.23
- -	

- •Denotes a health status indicator which is significantly lower than the state average.
- $\circ Denotes$ a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Rural Health Clinic:

Belle Fourche Regional Med Clinic, Belle Fourche Newell Regional Medical Clinic, Newell

Community Health Services

Community Health Services & WIC:

830 6th Avenue, Belle Fourche 121 3rd Street, Newell

All Women Count!

Belle Fourche Regional Family Medical Clinic, Belle Fourche

Family Medical Center, Newell

Hospitals

None

Long-Term Care

Nursing Facilities:

Assisted Living Centers:

Residential Living Centers:

None

Home Health Agencies:

None

Medicare Certified Hospices:

None


²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Campbell County

Demographic Information



Campbell County is located in the north central portion of the state and averages 2.4 persons per square mile.

2000 Population Information

Population	1,782
Percent White	99.3%
Percent American Indian	0.6%
Percent Age 65 or Over	22.1%
Percent Age 4 or Under	5.2%

Socioeconomic Indicators

Population Under 100% of Poverty	251
Percent of the Population	14.1%
Population Under 200% of Poverty	726
Percent of the Population	40.7%

¹All rates based on population are calculated according to the 2000 U.S. Census.

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	14.0%
Percent of Mothers Receiving	
Care in 1st Trimester	82.9%
Percent of Mothers Who	
Used Tobacco While Pregnant ²	LNE
Births Less Than 37 Weeks of Gestation	18.6%
OAverage Age of Mother	30.0
Teenage Pregnancy Rate ³	LNE

Mortality⁴

17101 tuilty	
•ALL CAUSES	505.0
Heart Disease	136.1
Acute Myocardial Infarction	.37.9
Atherosclerotic Heart Disease	.45.1
Heart Failure	LNE
Malignant Neoplasms (cancer)	112.7
Trachea, Bronchus, & Lung	.25.4
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Prostate	LNE
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	.31.5
Chronic Lower Respiratory Diseases	LNE
Accidents	.62.7
Motor Vehicle Accidents	LNE
Alzheimer's Disease	LNE
Diabetes Mellitus	.25.7
Influenza & Pneumonia	
Intentional Self-Harm (suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

- •Denotes a health status indicator which is significantly lower than
- ODenotes a health status indicator which is significantly higher than

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Rural Health Clinic:

Campbell County Clinic, Herreid Campbell County Clinic, Pollock

Community Health Services

Community Health Services are provided by the Walworth County Public Health Services Office.

All Women Count!

Campbell County Clinic, Herreid Campbell County Clinic, Pollock

Hospitals

None

Long-Term Care

Nursing Facilities:

None

Assisted Living Centers:

Residential Living Centers:

None

Home Health Agencies:

None

Medicare Certified Hospices:

None


²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Charles Mix County

Demographic Information



Charles Mix County is located in the south central area of the state and averages 8.5 persons per square mile.

2000 Population Information

Population	9,350
Percent White	
Percent American Indian	29.5%
Percent Age 65 or Over	17.3%
Percent Age 4 or Under	

Socioeconomic Indicators

Population Under 100% of Poverty	2,462
Percent of the Population	26.9%
Population Under 200% of Poverty	5,011
Percent of the Population	54.7%

 $[\]overline{\,}^{1}$ All rates based on population are calculated according to the 2000 U.S. Census.

Health Care Resources¹

Natality

Percent Low Birth Weight Infants	8.1%
 Percent of Mothers Receiving 	
Care in 1st Trimester	64.2%
Percent of Mothers Who	
Used Tobacco While Pregnant ²	29.5%
Births Less Than 37 Weeks of Gestation	11.0%
Average Age of Mother	25.9
oTeenage Pregnancy Rate ³	35.0

Mortality⁴

=:=====================================
ALL CAUSES786.7
Heart Disease
○Acute Myocardial Infarction102.2
Atherosclerotic Heart Disease
Heart Failure16.0
Malignant Neoplasms (cancer)160.7
•Trachea, Bronchus, & Lung33.4
Colon, Rectum, & Anus
Female BreastLNE
Prostate
Pancreas
Leukemia11.0
Non-Hodgkin's LymphomaLNE
Cerebrovascular Disease
Chronic Lower Respiratory Diseases
Accidents
Motor Vehicle Accidents
• Alzheimer 's disease
Diabetes Mellitus21.2
Influenza & Pneumonia
Intentional Self-Harm (suicide)
oChronic Liver Disease and Cirrhosis29.8
Infant Mortality

- Denotes a health status indicator which is significantly lower than the state average.
- $\circ Denotes$ a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Medicare Certified End Stage Renal Dialysis

Sanford Wagner Dialysis, Wagner

Rural Health Clinic:

Geddes Medical Clinic, Geddes Avera St. Benedict CRHC, Lake Andes Platte Medical Clinic, Platte

Community Health Services

Community Health Services, WIC & Family

Planning: Charles Mix County Courthouse, Lake Andes 612 East 7th Street, Platte Early Childhood Building, Wagner

All Women Count!

Avera Geddes Medical Clinic, Geddes Avera St. Benedict Clinic, Lake Andes Avera Platte Medical Clinic, Platte Avera Wagner Community Clinic, Wagner Wagner IHS Health Center, Wagner

Hospitals

Critical Access Hospitals:

District 1d C + District	151 1/15 :
Platte Health Center, Platte	15 beds/15 swing
Wagner Community Memorial	
Hospital. Wagner	20 beds/10 swing

Long-Term Care

Nursing Facilities:

There are 3 nursing facilities in Charles Mix County. For more information refer to page 242 in the Appendix.

Assisted Living Centers:

Gentle Touch, Platte

Home Health Agencies: Platte Home Health, Platte

Wagner Community Hospital, Wagner


Medicare Certified Hospices:

Avera Hospice - Platte, Platte

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Clark County is located in east central South Dakota and averages 4.3 persons per square mile.

2000 Population Information

Population	4,143
Percent White	
Percent American Indian	0.7%
Percent Age 65 or Over	22.2%
Percent Age 4 or Under	

Socioeconomic Indicators

Population Under 100% of Poverty	607
Percent of the Population	
Population Under 200% of Poverty	1,662
Percent of the Population	

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants
Percent of Mothers Receiving
Care in 1st Trimester 65.9%
 Percent of Mothers Who
Used Tobacco While Pregnant ²
•Births Less Than 37 Weeks of Gestation
oAverage Age of Mother28.3
Teenage Pregnancy Rate ³ LNE

Mortality⁴

•ALL CAUSES	684.8
Heart Disease	162.8
Acute Myocardial Infarction	35.9
Atherosclerotic Heart Disease	58.3
Heart Failure	LNE
Malignant Neoplasms (cancer)	178.1
Trachea, Bronchus, & Lung	40.1
Colon, Rectum, & Anus	15.9
Female Breast	LNE
Prostate	50.6
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	14.1
Cerebrovascular Disease	45.2
Chronic Lower Respiratory Diseases	33.9
Accidents	56.0
Motor Vehicle Accidents	34.4
Alzheimer's Disease	28.7
Diabetes Mellitus	30.4
Influenza & Pneumonia	24.0
Intentional Self-Harm (suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

- Denotes a health status indicator which is significantly lower than the state average.
- ODenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Rural Health Clinic:

Sioux Valley Clinic, Clark

Community Health Services Community Health Services & WIC:

Clark County Courthouse, Clark

All Women Count!

Sanford Clinic, Clark

Hospitals

None

Long-Term Care

Nursing Facilities:

Assisted Living Centers:

Residential Living Centers:

Home Health Agencies:

None

Medicare Certified Hospices:

None

 $^{{}^{\}overline{1}}$ All rates based on population are calculated according to the 2000 U.S. Census.


²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Clay County

Demographic Information



Clay County is located in the southeastern part of the state and averages 32.9 persons per square mile.

2000 Population Information

Population	13,537
Percent White	
Percent American Indian	3.4%
Percent Age 65 or Over	10.1%
Percent Age 4 or Under	

Socioeconomic Indicators

Population Under 100% of Poverty	2,406
Percent of the Population	
Population Under 200% of Poverty	
Percent of the Population	43.7%

¹All rates based on population are calculated according to the 2000 U.S. Census

Health Status Indicators¹

Natality

Percent Low Birth Weight Infants	5.7%
oPercent of Mothers Receiving	
Care in 1st Trimester	82.5%
 Percent of Mothers Who 	
Used Tobacco While Pregnant ²	12.8%
Births Less Than 37 Weeks of Gestation	8.0%
Average Age of Mother	27.3
•Teenage Pregnancy Rate ³	5.9

Mortality⁴

ALL CAUSES	771.6
Heart Disease	234.1
Acute Myocardial Infarction	109.9
Atherosclerotic Heart Disease	53.7
Heart Failure	8.4
Malignant Neoplasms (cancer)	188.9
Trachea, Bronchus, & Lung	46.5
Colon, Rectum, & Anus	16.9
Female Breast	25.4
Prostate	34.8
Pancreas	11.2
Leukemia	15.0
Non-Hodgkin's Lymphoma	7.4
Cerebrovascular Disease	55.9
Chronic Lower Respiratory Diseases	32.4
Accidents	44.1
Motor Vehicle Accidents	14.6
Alzheimer's Disease	35.5
Diabetes Mellitus	22.9
Influenza & Pneumonia	14.8
Intentional Self-Harm (suicide)	7.2
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

- Denotes a health status indicator which is significantly lower than the state average.
- $\circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Community Health Services Community Health Services & WIC:

Clay County Courthouse, Vermillion

Family Planning Clinics:

Vermillion Family Planning, Vermillion

All Women Count!

Sanford Vermillion Clinic, Vermillion Vermillion Medical Clinic, Vermillion

Hospitals

Critical Access Hospital:

Sanford Vermillion Hospital,	
Vermillion	25 beds/15 swing

Long-Term Care

Nursing Facilities:

Sioux Valley Vermillion Care Center,		
Vermillion	66	beds
Wakonda Heritage Manor Wakonda	34	heds

Assisted Living Centers:

Vermillion Assisted Living, Vermillion 14 beds	
Parkview Apartments AL, Wakonda 6 beds	

Residential Living Centers:

Dakota Gardens Senior Living, Vermillion 23 beds

Home Health Agencies:

Sanford Visiting Nurses Association, Vermillion


Medicare Certified Hospices:

Sanford Hospice, Vermillion

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Codington County is located in eastern South Dakota and averages 37.7 persons per square mile.

2000 Population Information

Population	25,897
Percent White	
Percent American Indian	1.9%
Percent Age 65 or Over	14.1%
Percent Age 4 or Under	

Socioeconomic Indicators

Population Under 100% of Poverty	2,314
Percent of the Population	
Population Under 200% of Poverty	7,405
Percent of the Population	28.8%

All rates based on population are calculated according to the 2000 U.S. Census.

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	7.1%
oPercent of Mothers Receiving	
Care in 1st Trimester	84.4%
oPercent of Mothers Who	
Used Tobacco While Pregnant ²	26.0%
Births Less Than 37 Weeks of Gestation	8.2%
Average Age of Mother	26.4
Teenage Pregnancy Rate ³	23.3

Mortality⁴

•	
ALL CAUSES	783.5
Heart Disease	213.5
Acute Myocardial Infarction	59.4
Atherosclerotic Heart Disease	72.5
Heart Failure	8.3
Malignant Neoplasms (cancer)	197.7
Trachea, Bronchus, & Lung	43.0
Colon, Rectum, & Anus	20.5
Female Breast	20.8
Prostate	25.9
Pancreas	18.7
Leukemia	12.2
Non-Hodgkin's Lymphoma	7.8
Cerebrovascular Disease	42.8
Chronic Lower Respiratory Diseases	
• Accidents	
Motor Vehicle Accidents	16.4
Alzheimer's Disease	25.3
Diabetes Mellitus	22.6
Influenza & Pneumonia	18.7
Intentional Self-Harm (suicide)	13.0
Chronic Liver Disease and Cirrhosis.	8.5
Infant Mortality	

- •Denotes a health status indicator which is significantly lower than the state average.
- ODenotes a health status indicator which is significantly higher than

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Ambulatory Surgery Center

Innovative Procedural Center, Watertown

Disease Intervention Office:

913 5th Street SE, Watertown

Medicare Certified End Stage Renal Dialysis

Watertown Outreach Dialysis Program, Watertown Prairie Lakes Hospital ESRD, Watertown

Community Health Services

Community Health Services & WIC:

Codington County Courthouse, Watertown

Family Planning Clinics:

Watertown Family Medical, Watertown

All Women Count!

Brown Clinic, Watertown Sanford Clinic, Watertown Watertown Family Planning, Watertown

Hospitals

Prairie Lakes Hospital,	
Watertown	81 beds/10 swins

Long-Term Care

Nursing Facilities:

Jenkin's Living Center, Watertown	158 beds
Golden Living Center, Watertown	51 beds

Assisted Living Centers:

There are 7 assisted living centers in Codington County. For more information refer to page 242 in the Appendix.

Residential Living Centers:

None

Home Health Agencies:

Prairie Lakes Home Care, Watertown


Medicare Certified Hospices:

Prairie Lakes Hospice, Watertown

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Corson County is located in the north central portion of the state and averages 1.7 persons per square mile.

2000 Population Information

Population	4,181
Percent White	
Percent American Indian	62.3%
Percent Age 65 or Over	10.5%
Percent Age 4 or Under	9.1%

Socioeconomic Indicators

Population Under 100% of Poverty	1,692
Percent of the Population	41.0%
Population Under 200% of Poverty	2,928
Percent of the Population	70.9%

¹All rates based on population are calculated according to the 2000 U.S. Census.

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	5.8%
 Percent of Mothers Receiving 	
Care in 1st Trimester	54.6%
Percent of Mothers Who	
Used Tobacco While Pregnant ²	23.1%
Births Less Than 37 Weeks of Gestation	9.5%
Average Age of Mother	24.8
oTeenage Pregnancy Rate ³	47.6

Mortality⁴

OALL CAUSES 1205.9	
OHeart Disease 339.8	
OAcute Myocardial Infarction	
Atherosclerotic Heart Disease	
OHeart Failure 56.9	
Malignant Neoplasms (cancer) 142.3	
Trachea, Bronchus, & Lung	
Colon, Rectum, & AnusLNE	
Female Breast LNE	
Prostate LNE	
Pancreas LNE	
Leukemia LNE	
Non-Hodgkin's Lymphoma LNE	
Cerebrovascular Disease	
Chronic Lower Respiratory Diseases LNE Accidents 196.5	
OMotor Vehicle Accidents	
Alzheimer's Disease LNE	
ODiabetes Mellitus	
Influenza & Pneumonia	
○Intentional Self-Harm (suicide)51.0	
OChronic Liver Disease and Cirrhosis	
Infant Mortality	

- Denotes a health status indicator which is significantly lower than the state average.
- oDenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Federally Qualified Health Center:

McIntosh Community Clinic, McIntosh

Rural Health Clinic:

West River Health Association, McLaughlin

Community Health Services

Community Health Services are provided by the Walworth County Public Health Services Office.

All Women Count!

McIntosh Clinic Prairie Community Health, McIntosh West River Rural Health Clinic, McLaughlin McLaughlin IHS Health Center, McLaughlin

Hospitals

None

Long-Term Care

Nursing Facilities:

None

Assisted Living Centers:

None

Residential Living Centers:

None

Home Health Agencies:

None

Medicare Certified Hospices:

None


²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Custer County

Demographic Information



Custer County is located in the southern Black Hills and averages 4.7 persons per square mile.

2000 Population Information

Population	7,275
Percent White	
Percent American Indian	4.5%
Percent Age 65 or Over	16.0%
Percent Age 4 or Under	

Socioeconomic Indicators

Population Under 100% of Poverty	659
Percent of the Population	
Population Under 200% of Poverty	2,147
Percent of the Population	30.7%

 $[\]overline{\mbox{ }}$ All rates based on population are calculated according to the 2000 U.S. Census.

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	8.5%
Percent of Mothers Receiving	
Care in 1st Trimester	76.5%
Percent of Mothers Who	
Used Tobacco While Pregnant ²	16.8%
Births Less Than 37 Weeks of Gestation	9.6%
Average Age of Mother	
Teenage Pregnancy Rate ³	13.4

Mortality⁴

ALL CAUSES	814.1
Heart Disease	179.9
Acute Myocardial Infarction	86.3
Atherosclerotic Heart Disease	49.1
Heart Failure	
Malignant Neoplasms (cancer)	197.0
Trachea, Bronchus, & Lung	45.4
Colon, Rectum, & Anus	25.5
Female Breast	27.4
Prostate	27.3
Pancreas	9.1
Leukemia	14.5
Non-Hodgkin's Lymphoma	12.2
Cerebrovascular Disease	
Chronic Lower Respiratory Diseases	50.0
Accidents	63.6
Motor Vehicle Accidents	23.1
Alzheimer's Disease	37.7
Diabetes Mellitus	28.4
Influenza & Pneumonia	21.5
Intentional Self-Harm (suicide)	21.9
Chronic Liver Disease and Cirrhosis	
Infant Mortality	LNE

- \bullet Denotes a health status indicator which is significantly lower than the state average.
- $\circ Denotes$ a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Rural Health Clinic:

Custer Regional Medical Clinic, Custer

Community Health Services Community Health Services, WIC & Family

Planning: Custer County Courthouse Annex, Custer

All Women Count!

Custer Regional Medical Clinic, Custer

Hospitals

Critical Access Hospital:

Custer Regional Hospital, Custer..........16 beds/8 swing

Long-Term Care

Nursing Facilities:

Assisted Living Centers:

Wedgewood Regional Senior Care, Custer 16 beds

Residential Living Centers:

Home Health Agencies:

Southern Hills, Custer


Medicare Certified Hospices:

Custer Community Hospital

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Davison County is located in eastern South Dakota and averages 43.0 persons per square mile.

2000 Population Information

Population	18,741
Percent White	
Percent American Indian	2.4%
Percent Age 65 or Over	16.2%
Percent Age 4 or Under	6.5%

Socioeconomic Indicators

Population Under 100% of Poverty	2,068
Percent of the Population	
Population Under 200% of Poverty	
Percent of the Population	

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	7.8%
oPercent of Mothers Receiving	
Care in 1st Trimester	83.2%
Percent of Mothers Who	
Used Tobacco While Pregnant ²	20.5%
oBirths Less Than 37 Weeks of Gestation	11.2%
Average Age of Mother	26.5
•Teenage Pregnancy Rate ³	11.0
5 5 7	

Mortality⁴

ALL CAUSES

ALL CAUSES	/ 60.3
Heart Disease	196.7
Acute Myocardial Infarction	55.1
Atherosclerotic Heart Disease	
Heart Failure	7.3
Malignant Neoplasms (cancer)	194.0
Trachea, Bronchus, & Lung	56.6
Colon, Rectum, & Anus	24.7
Female Breast	31.2
Prostate	31.7
Pancreas	6.6
Leukemia	7.0
Non-Hodgkin's Lymphoma	6.0
Cerebrovascular Disease	57.1
Chronic Lower Respiratory Diseases	49.6
Accidents	39.2
Motor Vehicle Accidents	21.5
Alzheimer's Disease	17.8
Diabetes Mellitus	14.1
Influenza & Pneumonia	23.9
Intentional Self-Harm (suicide)	17.4
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	6.35
•Denotes a health status indicator which is significantly lo	wer than

 Denotes a health status indicator which is significantly lower than the state average.

 $\circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Medicare Certified End Stage Renal Dialysis

Mitchell Outreach Dialysis Program, Mitchell Mitchell Community Dialysis Unit, Mitchell

Community Health Services Community Health Services, WIC & Family Planning: 909 South Miller, Ave., Mitchell

Family Planning Clinics:

Mitchell Family Planning, Mitchell

All Women Count!

780 3

Adult Adolescent Internal Medicine Clinic, Mitchell Mitchell Area Family Planning, Mitchell

Hospitals

Avera Queen of Peace, Mitchell...... 120 beds/10 swing

Long-Term Care

Nursing Facilities:

Avera Brady Health and Rehab, Mitchell	84	beds
Firesteel Healthcare Center, Mitchell	141	beds

Assisted Living Centers:

There are 6 assisted living centers in Davison County. For more information refer to page 242 in the Appendix.

Residential Living Centers:

Countryside Living, Mitchell	52 beds
Crystal Manor, Mitchell	18 beds
Rosewood Court, Mitchell	22 beds

Home Health Agencies:

Avera Queen of Peace Home Health, Mitchell Dakota Physical Therapy Home Health Care, Mitchell

Medicare Certified Hospices:


Mitchell Community Hospice, Mitchell

 $^{{}^{\}overline{1}}$ All rates based on population are calculated according to the 2000 U.S. Census.

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Day County is located in the northeastern part of the state and averages 6.1 persons per square mile.

2000 Population Information

Population	6,267
Percent White	91.3%
Percent American Indian	8.2%
Percent Age 65 or Over	23.5%
Percent Age 4 or Under	5.5%

Socioeconomic Indicators

Population Under 100% of Poverty	869
Percent of the Population	14.3%
Population Under 200% of Poverty	2,347
Percent of the Population	

Health Status Indicators¹ 2003-2007

Natality

Mortality⁴

ALL CAUSES	818.8
oHeart Disease	292.5
OAcute Myocardial Infarction	222.0
Atherosclerotic Heart Disease	25.5
Heart Failure	17.9
Malignant Neoplasms (cancer)	146.6
Trachea, Bronchus, & Lung	40.9
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Prostate	33.4
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	6.2
Cerebrovascular Disease	
• Chronic Lower Respiratory Diseases	27.3
oAccidents	
Motor Vehicle Accidents	
Alzheimer's Disease	23.6
Diabetes Mellitus	12.9
Influenza & Pneumonia	
Intentional Self-Harm (suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE
•Denotes a health status indicator which is significant	ly lower than

•Denotes a health status indicator which is significantly lower than the state average.

 $\circ Denotes$ a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Rural Health Clinic:

Waubay Clinic Avera Health, Waubay Sanford Clinic, Webster

Community Health Services

Community Health Services & WIC:

Day County Courthouse, Webster

All Women Count!

Avera Health-Waubay Clinic, Waubay Day County Medical Center, Webster Sanford Family Center, Webster

Hospitals

Critical Access Hospital:

Sanford Hospital, Webster.....25 beds/10 swing

Long-Term Care

Nursing Facilities:

Sun Dial Manor, Bristol	. 37 beds
Strand-Kjorsvig Community Home, Roslyn	. 36 beds
Bethesda Home, Webster	. 50 beds

Assisted Living Centers:

Johnson Center of Sun Dial Manor, Bristol....... 16 beds

Residential Living Centers:

None

Home Health Agencies:

None

Medicare Certified Hospices:


None

 $^{^{1}}$ All rates based on population are calculated according to the 2000 U.S. Census.

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Deuel County borders Minnesota and averages 7.2 persons per square mile.

2000 Population Information

Population	4,498
Percent White	98.5%
Percent American Indian	0.7%
Percent Age 65 or Over	20.7%
Percent Age 4 or Under	5.5%

Socioeconomic Indicators

Population Under 100% of Poverty	462
Percent of the Population	
Population Under 200% of Poverty	1,421
Percent of the Population	31.7%

Health Status Indicators¹

Natality

Percent Low Birth Weight Infants	7.5%
Percent of Mothers Receiving	
Care in 1st Trimester	86.6%
Percent of Mothers Who	
Used Tobacco While Pregnant ²	17.1%
Births Less Than 37 Weeks of Gestation	8.2%
OAverage Age of Mother	27.6
Teenage Pregnancy Rate ³	LNE

Mortality⁴

ALL CAUSES	774.0
Heart Disease	
Acute Myocardial Infarction	62.4
Atherosclerotic Heart Disease	59.4
Heart Failure	
Malignant Neoplasms (cancer)	188.4
Trachea, Bronchus, & Lung	43.2
Colon, Rectum, & Anus	9.8
Female Breast	25.1
Prostate	46.1
Pancreas	24.9
Leukemia	LNE
Non-Hodgkin's Lymphoma	11.4
Cerebrovascular Disease	32.6
Chronic Lower Respiratory Diseases	37.0
Accidents	54.2
Motor Vehicle Accidents	
Alzheimer's Disease	33.1
Diabetes Mellitus	29.8
Influenza & Pneumonia	19.8
Intentional Self-Harm (suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

- •Denotes a health status indicator which is significantly lower than the state average.
- $\circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Rural Health Clinic:

Sanford Deuel County Medical Center, Clear Lake

Community Health Services Community Health Services/PHA & WIC:

Deuel County Memorial Hospital, Clear Lake

All Women Count!

Deuel County Memorial Clinic, Clear Lake

Hospitals

Critical Access Hospital:

Long-Term Care

Nursing Facilities:

Good Sam Society Deuel County, Clear Lake..... 59 beds

Assisted Living Centers:

Good Sam Society-Four Seasons, Clear Lake .. 9 beds

Residential Living Centers:

None

Home Health Agencies:

Deuel County Memorial Home Health, Clear Lake

Medicare Certified Hospices:


None

 $[\]overline{\,}^{1}$ All rates based on population are calculated according to the 2000 U.S. Census.

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Dewey County is located in the north central region of the state and averages 2.6 persons per square mile.

2000 Population Information

Population	5,972
Percent White	
Percent American Indian	75.4%
Percent Age 65 or Over	8.3%
Percent Age 4 or Under	

Socioeconomic Indicators

Population Under 100% of Poverty	1,973
Percent of the Population	
Population Under 200% of Poverty	3,881
Percent of the Population	66.0%

 $^{{}^{\}overline{1}}$ All rates based on population are calculated according to the 2000 U.S. Census.

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	7.4%
 Percent of Mothers Receiving 	
Care in 1st Trimester	57.6%
oPercent of Mothers Who	
Used Tobacco While Pregnant ²	30.7%
Births Less Than 37 Weeks of Gestation	9.8%
• Average Age of Mother	24.5
oTeenage Pregnancy Rate ³	49.8

Mortality⁴

oALL CAUSES	1394.1
OHeart Disease	301.8
Acute Myocardial Infarction	113.2
Atherosclerotic Heart Disease	
Heart Failure	22.2
OMalignant Neoplasms (cancer)	290.5
Trachea, Bronchus, & Lung	73.4
Colon, Rectum, & Anus	38.1
Female Breast	LNE
Prostate	LNE
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	
Chronic Lower Respiratory Diseases	61.1
o Accidents	156.4
OMotor Vehicle Accidents	67.7
Alzheimer's Disease	27.6
ODiabetes Mellitus	98.9
Influenza & Pneumonia	30.5
Intentional Self-Harm (suicide)	36.4
OChronic Liver Disease and Cirrhosis	64.7
Infant Mortality	12.71

- •Denotes a health status indicator which is significantly lower than the state average.
- $\circ Denotes$ a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Federally Qualified Health Center:

Eagle Butte Community Clinic, Eagle Butte Isabel Community Clinic, Isabel

Medicare Certified End Stage Renal Dialysis

Black Hills Dialysis, Eagle Butte

Rural Health Clinic:

West Dakota Health Center, Timber Lake

Community Health Services Community Health Services, WIC & Family

Planning: Dewey County Courthouse, Timber Lake 118 Main, Isabel

All Women Count!

Family Health Center of Eagle Butte, Eagle Butte Isabel Prairie Community Health, Isabel West Dakota Health Center, Timber Lake

Hospitals

Indian Health Service, Eagle Butte

Long-Term Care

Nursing Facilities:

None

Assisted Living Centers:

None

Residential Living Centers:

None

Home Health Agencies:

West Winds Health Services, Timber Lake

Medicare Certified Hospices:

None


²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Douglas County

Demographic Information



Douglas County is located in south central South Dakota and averages 8.0 persons per square mile.

2000 Population Information

Population	3,458
Percent White	
Percent American Indian	1.4%
Percent Age 65 or Over	22.6%
Percent Age 4 or Under	

Socioeconomic Indicators

Population Under 100% of Poverty	487
Percent of the Population	
Population Under 200% of Poverty	1,354
Percent of the Population	

Health Status Indicators¹

Natality

Percent Low Birth Weight Infants	4.9%
Percent of Mothers Receiving	
Care in 1st Trimester	74.8%
 Percent of Mothers Who 	
Used Tobacco While Pregnant ²	11.9%
Births Less Than 37 Weeks of Gestation	5.5%
OAverage Age of Mother	28.6
Teenage Pregnancy Rate ³	LNE

Mortality⁴

•ALL CAUSES634.9	
Heart Disease	
Acute Myocardial Infarction70.7	
Atherosclerotic Heart DiseaseLNE	
Heart Failure12.9	
Malignant Neoplasms (cancer)164.7	
•Trachea, Bronchus, & Lung29.2	
Colon, Rectum, & Anus16.0	
Female Breast34.2	
ProstateLNE	
PancreasLNE	
LeukemiaLNE	
Non-Hodgkin's LymphomaLNE	
Cerebrovascular Disease	
Chronic Lower Respiratory Diseases27.7	
Accidents76.7	
Motor Vehicle Accidents	
Alzheimer's Disease17.8	
Diabetes MellitusLNE	
Influenza & Pneumonia	
Intentional Self-Harm (suicide)LNE	
Chronic Liver Disease and CirrhosisLNE	
Infant MortalityLNE	
 Denotes a health status indicator which is significantly lower than 	1

 Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Rural Health Clinic:

Prairie Health Clinic, Armour Avera Corsica Medical Clinic, Corsica Prairie Health Clinic, Corsica

Community Health Services

Community Health Services/PHA, WIC & Family

Planning: Douglas County Mem Hosp, Armour

Family Planning Clinics:

Douglas County Public Health, Armour

All Women Count!

Prairie Health Clinic, Armour Avera Corsica Medical Clinic, Corsica Prairie Health Clinic, Corsica Douglas County Memorial Hospital, Armour

Hospitals

Critical Access Hospital:

Douglas Co Mem Hosp, Armour......11 beds/11 swing

Long-Term Care

Nursing Facilities:

Golden Living Center, Armour	. 45 beds	
Good Samaritan Society, Corsica	. 54 beds	

Assisted Living Centers:

Prairie Villa, Armour	16 beds
Leisure Living, Corsica	10 beds

Residential Living Centers:

Home Health Agencies:

Douglas County Home Health Services, Armour

Medicare Certified Hospices:


None

 $[\]overline{\,^1}\text{All}$ rates based on population are calculated according to the 2000 U.S. Census.

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Edmunds County is located in the north central region of the state and averages 3.8 persons per square mile.

2000 Population Information

Population	4,367
Percent White	99.2%
Percent American Indian	0.3%
Percent Age 65 or Over	22.2%
Percent Age 4 or Under	5.7%

Socioeconomic Indicators

Population Under 100% of Poverty	585
Percent of the Population	
Population Under 200% of Poverty	
Percent of the Population	39.3%

Health Status Indicators¹ 20023-2007

Natality

Percent Low Birth Weight Infants	7.3%
Percent of Mothers Receiving	
Care in 1st Trimester	76.5%
 Percent of Mothers Who 	
Used Tobacco While Pregnant ²	8.6%
Births Less Than 37 Weeks of Gestation	8.3%
OAverage Age of Mother	28.0
Teenage Pregnancy Rate ³	LNE

Mortality⁴

•ALL CAUSES	654.7
Heart Disease	186.2
Acute Myocardial Infarction	44.9
Atherosclerotic Heart Disease	86.7
Heart Failure	
•Malignant Neoplasms (cancer)	107.3
Trachea, Bronchus, & Lung	
Colon, Rectum, & Anus	10.9
Female Breast	LNE
Prostate	LNE
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	47.3
Chronic Lower Respiratory Diseases	
Accidents	77.2
Motor Vehicle Accidents	40.1
Alzheimer's Disease	25.7
Diabetes Mellitus	36.8
Influenza & Pneumonia	
Intentional Self-Harm (suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE
• Denotes a health status indicator which is significant	ntly lower than

- •Denotes a health status indicator which is significantly lower than the state average.
- $\circ Denotes$ a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Rural Health Clinic:

Avera United Clinic of Ipswich, Ipswich Bowdle Clinic, Bowdle

Community Health Services

Community Health Services/PHA & WIC:

Bowdle Healthcare Center, Bowdle

All Women Count!

Bowdle Healthcare Center, Bowdle United Clinic of Ipswich, Ipswich Bowdle Healthcare Clinic – Hosmer and Roscoe

Hospitals

Critical Access Hospital:

Long-Term Care

Nursing Facilities:

Bowdle Nursing Home, Bowdle	22 beds
Senior Citizen's Home, Hosmer	40 beds
Golden Living Center, Ipswich	41 beds

Assisted Living Centers:

8	
Bowdle Hospital Assisted Living Cntr, Bow	dle 4 beds
Bowdle Nursing Home ALC, Bowdle	4 beds
Westwood Assisted Living Roscoe	16 beds

Residential Living Centers:

None

Home Health Agencies:

None

Medicare Certified Hospices:


None

 $[\]overline{\,}^{1}$ All rates based on population are calculated according to the 2000 U.S. Census.

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Fall River County is located in the southwestern corner of the state and averages 4.3 persons per square mile.

2000 Population Information

Population	
Percent White	
Percent American Indian	8.1%
Percent Age 65 or Over	22.5%
Percent Age 4 or Under	

Socioeconomic Indicators

Population Under 100% of Poverty	951
Percent of the Population	
Population Under 200% of Poverty	
Percent of the Population	40.8%

 $[\]overline{\,}^{1}$ All rates based on population are calculated according to the 2000 U.S. Census.

Health Status Indicators¹

Natality

Percent Low Birth Weight Infants	5.9%
Percent of Mothers Receiving	
Care in 1st Trimester	68.5%
Percent of Mothers Who	
Used Tobacco While Pregnant ²	22.8%
Births Less Than 37 Weeks of Gestation	5.4%
Average Age of Mother	25.9
Teenage Pregnancy Rate ³	17.2

Mortality⁴

with				
oALL CAUSES	948.4			
oHeart Disease	262.2			
Acute Myocardial Infarction	166.3			
Atherosclerotic Heart Disease	40.1			
Heart Failure	5.9			
Malignant Neoplasms (cancer)	212.1			
oTrachea, Bronchus, & Lung				
Colon, Rectum, & Anus	8.9			
Female Breast	14.9			
Prostate	LNE			
Pancreas	13.2			
Leukemia	LNE			
Non-Hodgkin's Lymphoma	13.6			
Cerebrovascular Disease				
Chronic Lower Respiratory Diseases				
Accidents				
Motor Vehicle Accidents	23.1			
• Alzheimer's Disease				
Diabetes Mellitus	28.0			
Influenza & Pneumonia	19.9			
oIntentional Self-Harm (suicide)	38.8			
Chronic Liver Disease and Cirrhosis	15.8			
Infant Mortality	LNE			
•				

- Denotes a health status indicator which is significantly lower than the state average.
- $\circ Denotes$ a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Medicare Certified End Stage Renal Dialysis:

VA Black Hills Health Care System ESRD, Hot Springs

Rural Health Clinic:

Black Hills Family Health Clinic, Hot Springs Edgemont Regional Medical Clinic, Edgemont Fall River Clinic, Hot Springs Cascade Integrative Medicine, Hot Springs

Community Health Services Community Health Services, WIC & Family

Planning: Fall River County Courthouse, Hot Springs

All Women Count!

Edgemont Regional Memorial Clinic, Edgemont RC Medical Center, Hot Springs Cascade Integrative Medicine, Hot Springs

Hospitals

Critical Access Hospital:

Fall River Hospital, Hot Springs......11 beds/11 swing

Veterans' Administration:

VA Black Hills Health Care System, Hot Springs

Long-Term Care

Nursing Facilities:

Castle Manor, Hot Springs48 beds

Assisted Living Centers:

Cactus Hills Retirement Comm, Edgemont.......... 16 beds Pine Hills Retirement Comm, Hot Springs......... 28 beds

Residential Living Centers:

None

Home Health Agencies:

None


Medicare Certified Hospices:

None

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Faulk County is located in north central South Dakota and averages 2.6 persons per square mile.

2000 Population Information

Population	2,640
Percent White	
Percent American Indian	0.4%
Percent Age 65 or Over	22.9%
Percent Age 4 or Under	

Socioeconomic Indicators

Population Under 100% of Poverty	468
Percent of the Population	18.1%
Population Under 200% of Poverty	1,114
Percent of the Population	43.0%

 $^{{}^{\}bar{1}}$ All rates based on population are calculated according to the 2000 U.S. Census.

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	LNE
Percent of Mothers Receiving	
Care in 1st Trimester	62.2%
 Percent of Mothers Who 	
Used Tobacco While Pregnant ²	7.5%
Births Less Than 37 Weeks of Gestation	
OAverage Age of Mother	29.4
Teenage Pregnancy Rate ³	LNE

Mortality⁴

II CALIGED

•ALL CAUSES	668.7
Heart Disease	165.8
Acute Myocardial Infarction	65.8
Atherosclerotic Heart Disease	LNE
Heart Failure	
Malignant Neoplasms (cancer)	152.9
•Trachea, Bronchus, & Lung	25.5
Colon, Rectum, & Anus	31.5
Female Breast	LNE
Prostate	LNE
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	56.5
Chronic Lower Respiratory Diseases	20.5
Accidents	46.0
Motor Vehicle Accidents	22.2
Alzheimer's Disease	29.9
Diabetes Mellitus	20.4
Influenza & Pneumonia	
Intentional Self-Harm (suicide)	
Chronic Liver Disease and Cirrhosis	
Infant Mortality	LNE

 \bullet Denotes a health status indicator which is significantly lower than the state average.

ODenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Rural Health Clinic:

Faulkton Area Medical Center, Faulkton

Community Health Services

Community Health Services & WIC:

Faulk County Courthouse, Faulkton

All Women Count!

Faulkton Area Medical Clinic, Faulkton

Hospitals

Critical Access Hospital:

Faulk Area Medical Center, Faulkton.....12 beds/6 swing

Long-Term Care

Nursing Facilities:

Assisted Living Centers:

Residential Living Centers:

None

CC0 7

Home Health Agencies:

None


Medicare Certified Hospices:

None

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1.000 live births.



Grant County borders Minnesota in northeastern South Dakota and averages 11.5 persons per square mile.

2000 Population Information

Population	7,847
Percent White	98.6%
Percent American Indian	0.6%
Percent Age 65 or Over	19.1%
Percent Age 4 or Under	5.9%

Socioeconomic Indicators

Population Under 100% of Poverty	761
Percent of the Population	9.9%
Population Under 200% of Poverty	2,370
Percent of the Population	30.8%

 $^{{}^{\}overline{1}}$ All rates based on population are calculated according to the 2000 U.S. Census.

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	9.4%
Percent of Mothers Receiving	
Care in 1st Trimester	76.9%
Percent of Mothers Who	
Used Tobacco While Pregnant ²	19.8%
Births Less Than 37 Weeks of Gestation	11.0%
Average Age of Mother	26.8
•Teenage Pregnancy Rate ³	9.1

Mortality⁴

ALL CAUSES	741.1
Heart Disease	164.1
Acute Myocardial Infarction	80.0
Atherosclerotic Heart Disease	24.1
Heart Failure	19.0
Malignant Neoplasms (cancer)	150.5
Trachea, Bronchus, & Lung	44.7
Colon, Rectum, & Anus	10.4
Female Breast	30.8
Prostate	LNE
Pancreas	11.8
Leukemia	LNE
Non-Hodgkin's Lymphoma	9.9
Cerebrovascular Disease	88.1
Chronic Lower Respiratory Diseases	31.7
Accidents	27.0
Motor Vehicle Accidents	10.9
Alzheimer's Disease	45.2
Diabetes Mellitus	18.3
Influenza & Pneumonia	
Intentional Self-Harm (suicide)	21.8
Chronic Liver Disease and Cirrhosis	
Infant Mortality	LNE

- Denotes a health status indicator which is significantly lower than the state average.
- ODenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Rural Health Clinic:

Revillo Clinic/Avera Health, Revillo

Community Health Services
Community Health Services, WIC & Family
Planning: Grant County Courthouse, Milbank

All Women Count!

Avera Big Stone City Clinic, Big Stone City Avera Milbank Area Hospital, Milbank Milbank Medical Center, Milbank Revillo Clinic, Revillo

Hospitals

Critical Access Hospital Milbank Area Hospital/Avera Health, Milbank25 beds/15 swing

Long-Term Care

Nursing racinues:		
Golden Living Center, Milbank	72	beds
St. Williams Home for the Aged, Milbank	60	beds

Home Health Agencies:

Milbank Area Home Health, Milbank


Medicare Certified Hospices:

Milbank Area Valley Hospice/Avera Health, Milbank

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Gregory County borders the west bank of the Missouri River and the state of Nebraska and averages 4.7 persons per square mile.

2000 Population Information

Population	4,792
Percent White	93.2%
Percent American Indian	6.2%
Percent Age 65 or Over	24.8%
Percent Age 4 or Under	4.9%

Socioeconomic Indicators

Population Under 100% of Poverty	942
Percent of the Population	
Population Under 200% of Poverty	2,206
Percent of the Population	47.0%

 $[\]overline{\,}^{1}$ All rates based on population are calculated according to the 2000 U.S. Census.

Health Status Indicators¹

Natality

Percent Low Birth Weight Infants	6.1%
Percent of Mothers Receiving	
Care in 1st Trimester	74.3%
Percent of Mothers Who	
Used Tobacco While Pregnant ²	16.8%
Births Less Than 37 Weeks of Gestation	9.4%
Average Age of Mother	26.2
Teenage Pregnancy Rate ³	15.3

Mortality⁴

• ALL CAUSES

•ALL CAUSES	
Heart Disease	157.5
Acute Myocardial Infarction	64.4
Atherosclerotic Heart Disease	25.8
Heart Failure	5.2
Malignant Neoplasms (cancer)	180.2
Trachea, Bronchus, & Lung	38.6
Colon, Rectum, & Anus	11.1
Female Breast	24.5
Prostate	45.6
Pancreas	16.9
Leukemia	8.0
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	30.9
Chronic Lower Respiratory Diseases	
Accidents	
Motor Vehicle Accidents	28.1
Alzheimer's Disease	24.2
Diabetes Mellitus	32.2
Influenza & Pneumonia	LNE
Intentional Self-Harm (suicide)	25.5
Chronic Liver Disease and Cirrhosis	
Infant Mortality	LNE
•	

•Denotes a health status indicator which is significantly lower than the state average.

ODenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Medicare Certified End Stage Renal Dialysis

Avera Gregory Dialysis Unit, Gregory Gregory Outreach Dialysis Program, Gregory

Rural Health Clinic:

Bonesteel Medical Clinic, Bonesteel Burke Medical Clinic, Burke

Community Health Services

Community Health Services, WIC & Family

Planning: Gregory County Courthouse, Burke

WIC Site:

690.2

303 Mellete St, Bonesteel

All Women Count!

Sanford Health Clinic/Burke Medical Clinic, Burke Avera Gregory Medical Clinic, Gregory Avera Fairfax Family Clinic, Fairfax

Hospitals

Critical Access Hospital:

Comm Mem Hospital, Burke	16 beds/15 swing
Avera Gregory Healthcare Center,	
Gregory	25 beds/15 swing

Long-Term Care

Nursing Facilities:

Avera Rosebud Country Care Cntr, Gregory 58 beds	
Assisted Living Centers:	

Haisch Haus, Bonesteel	16 beds
TLC Assisted Living Home, Burke	16 beds
Silver Threads Residence, Gregory	28 beds

Residential Living Centers:

Home Health Agencies:

Avera Gregory Home Health Agency, Gregory

Medicare Certified Hospices:

None

See Technical Notes for more information.

Source: South Dakota Department of Health, Office of Data, Statistics, and Vital Records


²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Haakon County

Demographic Information



Haakon County is located in the west central region of the state and averages 1.2 persons per square mile.

2000 Population Information

Population	2,196
Percent White	96.4%
Percent American Indian	3.4%
Percent Age 65 or Over	18.0%
Percent Age 4 or Under	5.3%

Socioeconomic Indicators

Population Under 100% of Poverty	298
Percent of the Population	
Population Under 200% of Poverty	755
Percent of the Population	

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	LNE
Percent of Mothers Receiving	
Care in 1st Trimester	74.7%
Percent of Mothers Who	
Used Tobacco While Pregnant ²	13.2%
Births Less Than 37 Weeks of Gestation	4.3%
OAverage Age of Mother	28.3
Teenage Pregnancy Rate ³	LNE

Mortality⁴

ALL CALICES

ALL CAUSES	//6.0
Heart Disease	
Acute Myocardial Infarction	
Atherosclerotic Heart Disease	53.1
Heart Failure	
Malignant Neoplasms (cancer)	219.2
Trachea, Bronchus, & Lung	55.1
Colon, Rectum, & Anus	.LNE
Female Breast	.LNE
Prostate	.LNE
Pancreas	.LNE
Leukemia	.LNE
Non-Hodgkin's Lymphoma	.LNE
Cerebrovascular Disease	33.8
Chronic Lower Respiratory Diseases	43.7
Accidents	61.8
Motor Vehicle Accidents	51.9
Alzheimer's Disease	.LNE
Diabetes Mellitus	36.0
Influenza & Pneumonia	18.2
Intentional Self-Harm (suicide)	.LNE
Chronic Liver Disease and Cirrhosis	.LNE
Infant Mortality	.LNE

•Denotes a health status indicator which is significantly lower than the state average.

ODenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Rural Health Clinic:

Philip Clinic, Philip

Community Health Services Community Health Services, WIC & Family

Planning: Haakon County Courthouse, Philip

All Women Count!

Philip Rural Health Clinic, Philip

Hospitals

Critical Access Hospital:

Hans P. Peterson Memorial Hospit	al,
Philip	18 beds/15 swing

Long-Term Care

Nursing Facilities:

Assisted Living Centers:

Residential Living Centers:

None

776 0

Home Health Agencies:

Philip Home Health, Philip

Medicare Certified Hospices:

None

 $[\]overline{\,}^{1}$ All rates based on population are calculated according to the 2000 U.S. Census.


²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Hamlin County

Demographic Information



Hamlin County is located in the northeastern region of the state and averages 10.9 persons per square mile.

2000 Population Information

Population	5,546
Percent White	
Percent American Indian	0.9%
Percent Age 65 or Over	19.2%
Percent Age 4 or Under	

Socioeconomic Indicators

Population Under 100% of Poverty	660
Percent of the Population	
Population Under 200% of Poverty	2,181
Percent of the Population	39.8%

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	5.9%
Percent of Mothers Receiving	
Care in 1st Trimester	80.1%
Percent of Mothers Who	
Used Tobacco While Pregnant ²	15.8%
Births Less Than 37 Weeks of Gestation	7.5%
OAverage Age of Mother	27.4
•Teenage Pregnancy Rate ³	5.6

Mortality⁴

ALL CAUSES	830.6
Heart Disease	181.4
Acute Myocardial Infarction	72.0
Atherosclerotic Heart Disease	48.1
Heart Failure	
Malignant Neoplasms (cancer)	202.4
Trachea, Bronchus, & Lung	52.1
Colon, Rectum, & Anus	31.2
Female Breast	26.0
Prostate	24.0
Pancreas	13.7
Leukemia	14.1
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	67.4
Chronic Lower Respiratory Diseases	39.4
Accidents	49.7
Motor Vehicle Accidents	15.5
o Alzheimer's Disease	58.7
Diabetes Mellitus	16.9
Influenza & Pneumonia	26.5
Intentional Self-Harm (suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	10.14

•Denotes a health status indicator which is significantly lower than the state average.

 $\circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Federally Qualified Health Center:

Bryant Clinic, Bryant

Rural Health Clinic:

Sanford Health Clinic, Estelline Sanford Health Clinic, Lake Norden

Community Health Services

Community Health Services & WIC:

Hamlin County Courthouse, Hayti

All Women Count!

Bryant Clinic Horizon Health Care, Bryant Sanford Health Clinic, Estelline Sanford Health Clinic, Lake Norden

Hospitals

None

Long-Term Care

Nursing Facilities:

Bryant Parkview Care Center, Bryant	40	beds
Estelline Nursing and Care Center, Estelline	60	beds
Golden Living Center, Lake Norden	52	beds

Assisted Living Centers:

South Park Assisted Living, Bryant	14 beds
Castlewood Assisted Living, Castlewood	24 beds
Estelline Nursing and Care Center, Estelline	2 beds
The Homestead AL. Lake Norden	8 beds

Residential Living Centers:

None

Home Health Agencies:

None

Medicare Certified Hospices:

None

¹All rates based on population are calculated according to the 2000 U.S.


²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Hand County

Demographic Information



Hand County is located in central South Dakota and averages 2.6 persons per square mile.

2000 Population Information

Population	3,741
Percent White	
Percent American Indian	0.3%
Percent Age 65 or Over	24.2%
Percent Age 4 or Under	5.2%

Socioeconomic Indicators

Population Under 100% of Poverty	339
Percent of the Population	
Population Under 200% of Poverty	
Percent of the Population	

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	4.1%
Percent of Mothers Receiving	
Care in 1st Trimester	76.9%
 Percent of Mothers Who 	
Used Tobacco While Pregnant ²	7.1%
Births Less Than 37 Weeks of Gestation	8.8%
OAverage Age of Mother	28.7
Teenage Pregnancy Rate ³	LNE

Mortality⁴

- ALL CALIGEO

•ALL CAUSES	664.1
Heart Disease	118.3
Acute Myocardial Infarction	36.9
Atherosclerotic Heart Disease	30.0
Heart Failure	16.3
Malignant Neoplasms (cancer)	150.3
Trachea, Bronchus, & Lung	
Colon, Rectum, & Anus	25.1
Female Breast	LNE
Prostate	LNE
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	
Chronic Lower Respiratory Diseases	45.1
Accidents	39.7
Motor Vehicle Accidents	23.0
Alzheimer's Disease	10.8
Diabetes Mellitus	13.7
Influenza & Pneumonia	LNE
Intentional Self-Harm (suicide)	
Chronic Liver Disease and Cirrhosis	
Infant Mortality	LNE
-	

• Denotes a health status indicator which is significantly lower than the state average.

 $\circ Denotes$ a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Community Health Services
Community Health Services/PHA, WIC & Family
Planning: 318 West 5th St, Miller

All Women Count!

Avera Hand County Clinic, Miller

Hospitals

Critical Access Hospital:

Hand County Mem Hosp, Miller25 beds/15 swing

Long-Term Care

Nursing Facilities:

Good Samaritan Society, Miller 50 beds

Assisted Living Centers:

Courtyard Villa ALC, Miller	23 beds
Good Samaritan Society Miller	14 beds

Residential Living Centers:

None

Home Health Agencies:

Hand County Home Health Agency, Miller

Medicare Certified Hospices:

North Plains Hospice of Avera St. Luke's Miller Site, Miller

 $[\]overline{\mbox{\mbox{1}}}$ All rates based on population are calculated according to the 2000 U.S. Census.


²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Hanson County

Demographic Information



Hanson County is located in southeastern South Dakota and averages 7.2 people per square mile.

2000 Population Information

Population	3,139
Percent White	
Percent American Indian	0.2%
Percent Age 65 or Over	14.9%
Percent Age 4 or Under	

Socioeconomic Indicators

Population Under 100% of Poverty	521
Percent of the Population	
Population Under 200% of Poverty	1,249
Percent of the Population	

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	6.5%
Percent of Mothers Receiving	
Care in 1st Trimester	73.4%
 Percent of Mothers Who 	
Used Tobacco While Pregnant ²	10.6%
Births Less Than 37 Weeks of Gestation	7.8%
OAverage Age of Mother	28.5
Teenage Pregnancy Rate ³	LNE

Mortality⁴

•ALL CAUSES	567.0
Heart Disease	156.5
Acute Myocardial Infarction	50.4
Atherosclerotic Heart Disease	57.4
Heart Failure	LNE
Malignant Neoplasms (cancer)	160.6
Trachea, Bronchus, & Lung	33.7
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Prostate	LNE
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	
Cerebrovascular Disease	41.6
Chronic Lower Respiratory Diseases	
Accidents	
Motor Vehicle Accidents	LNE
Alzheimer's Disease	LNE
Diabetes Mellitus	LNE
Influenza & Pneumonia	LNE
Intentional Self-Harm (suicide)	
Chronic Liver Disease and Cirrhosis	
Infant Mortality	LNE

- •Denotes a health status indicator which is significantly lower than the state average.
- ODenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Community Health Services Community Health Services & WIC:

430 Main Street, Alexandria

Hospitals

None

Long-Term Care

Nursing Facilities:

None

Assisted Living Centers:

None

Residential Living Centers:

None

Home Health Agencies:

None

Medicare Certified Hospices:

None

¹All rates based on population are calculated according to the 2000 U.S.


²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Harding County

Demographic Information



Harding County is located in the northwestern corner of the state and averages 0.5 persons per square mile.

2000 Population Information

Population	1,353
Percent White	
Percent American Indian	1.1%
Percent Age 65 or Over	13.4%
Percent Age 4 or Under	

Socioeconomic Indicators

Population Under 100% of Poverty	277
Percent of the Population	
Population Under 200% of Poverty	654
Percent of the Population	

¹All rates based on population are calculated according to the 2000 U.S. Census.

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	LNE
Percent of Mothers Receiving	
Care in 1st Trimester	78.4%
Percent of Mothers Who	
Used Tobacco While Pregnant ²	20.4%
Births Less Than 37 Weeks of Gestation	LNE
Average Age of Mother	28.2
Teenage Pregnancy Rate ³	LNE

Mortality⁴

ALL CAUSES	613.9
Heart Disease	127.8
Acute Myocardial Infarction	LNE
Atherosclerotic Heart Disease	
Heart Failure	LNE
Malignant Neoplasms (cancer)	153.6
Trachea, Bronchus, & Lung	72.3
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Prostate	LNE
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	
Cerebrovascular Disease	55.2
Chronic Lower Respiratory Diseases	LNE
Accidents	
Motor Vehicle Accidents	LNE
Alzheimer's Disease	LNE
Diabetes Mellitus	LNE
Influenza & Pneumonia	LNE
Intentional Self-Harm (suicide)	LNE
Chronic Liver Disease and Cirrhosis	
Infant Mortality	
•	

- •Denotes a health status indicator which is significantly lower than the state average.
- ODenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Community Health Services

WIC Site:

Harding County Courthouse, Buffalo

All Women Count!

Buffalo Regional Medical Clinic, Buffalo

Hospitals

None

Long-Term Care

Nursing Facilities:

None

Assisted Living Centers:

None

Residential Living Centers:

None

Home Health Agencies:

None

Medicare Certified Hospices:

None


²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Hughes County

Demographic Information



Hughes County is located in the center of the state and averages 22.2 persons per square mile.

2000 Population Information

Population	. 16,481
Percent White	88.9%
Percent American Indian	9.9%
Percent Age 65 or Over	13.7%
Percent Age 4 or Under	6.6%

Socioeconomic Indicators

Population Under 100% of Poverty	1,255
Percent of the Population	8.0%
Population Under 200% of Poverty	3,451
Percent of the Population	22.0%

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	5.9%
Percent of Mothers Receiving	
Care in 1st Trimester	74.2%
Percent of Mothers Who	
Used Tobacco While Pregnant ²	21.2%
Births Less Than 37 Weeks of Gestation	8.4%
Average Age of Mother	
•Teenage Pregnancy Rate ³	11.2

Mortality⁴

ALL CAUSES 742.3
•Heart Disease
• Acute Myocardial Infarction41.2
• Atherosclerotic Heart Disease
Heart Failure 14.3
•Malignant Neoplasms (cancer)
•Trachea, Bronchus, & Lung35.4
Colon, Rectum, & Anus
Female Breast
ProstateLNE
Pancreas6.7
Leukemia6.2
Non-Hodgkin's Lymphoma7.5
Cerebrovascular Disease
Chronic Lower Respiratory Diseases
Accidents
Motor Vehicle Accidents
Alzheimer's Disease 30.9
oDiabetes Mellitus
Influenza & Pneumonia 20.5
Intentional Self-Harm (suicide)
Chronic Liver Disease and Cirrhosis
Infant Mortality7.25

•Denotes a health status indicator which is significantly lower than the state average.

ODenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Ambulatory Surgery Center:

Medical Associates Clinic Surgery Ctr, Pierre

Federally Qualified Health Center:

South Dakota Urban Indian Health, Pierre

Medicare Certified End Stage Renal Dialysis

St. Mary's Healthcare Center ESRD, Pierre

Disease Intervention Office:

302 East Dakota, Pierre

Community Health Services

Community Health Services, WIC and Family

Planning: 302 East Dakota, Pierre

Family Planning Clinics:

Pierre Area Family Planning, Pierre

Urban Indian Health, Pierre

All Women Count!

Sanford Health Clinic, Pierre

Medical Associates Clinic, Pierre

Pierre Area Family Planning, Pierre

South Dakota Urban Indian Health, Pierre South Dakota Women's Prison, Pierre

Children's Special Health Services:

800 East Dakota, Pierre

Hospitals

St. Mary's Hospital, Pierre60 beds/10 swing

Long-Term Care

Nursing Facilities:

Assisted Living Centers:	
Maryhouse, Pierre	105 beds
Golden Living Center, Pierre	72 beds

Assisted Living Centers:

Kelly's Retirement Home I, Pierre	15	beds
Kelly's Retirement Home II, Pierre	16	beds

Residential Living Centers:

There are 3 residential living centers in Hughes County. For more information refer to page 242 in the Appendix.

Home Health Agencies:

St. Mary's Home Health, Pierre

Medicare Certified Hospices:

St. Mary's Healthcare Center Hospice, Pierre

¹All rates based on population are calculated according to the 2000 U.S. Census.


²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Hutchinson County

Demographic Information



Hutchinson County is located in the southeastern region of the state and averages 9.9 persons per square mile.

2000 Population Information

Population	8,075
Percent White	98.8%
Percent American Indian	0.8%
Percent Age 65 or Over	26.2%
Percent Age 4 or Under	5.9%

Socioeconomic Indicators

Population Under 100% of Poverty	1,002
Percent of the Population	13.0%
Population Under 200% of Poverty	2.879
Percent of the Population	37.2%

¹All rates based on population are calculated according to the 2000 U.S. Census

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	6.6%
Percent of Mothers Receiving	
Care in 1st Trimester	. 71.0%
 Percent of Mothers Who 	
Used Tobacco While Pregnant ²	. 10.8%
Births Less Than 37 Weeks of Gestation	7.2%
OAverage Age of Mother	28.8
•Teenage Pregnancy Rate ³	5.9

Mortality⁴

•ALL CAUSES	649.9
Heart Disease	164.1
Acute Myocardial Infarction	84.1
Atherosclerotic Heart Disease	39.1
Heart Failure	10.5
Malignant Neoplasms (cancer)	140.6
•Trachea, Bronchus, & Lung	20.1
Colon, Rectum, & Anus	16.9
Female Breast	38.0
Prostate	25.8
Pancreas	LNE
Leukemia	8.2
Non-Hodgkin's Lymphoma	4.1
Cerebrovascular Disease	45.9
Chronic Lower Respiratory Diseases	20.7
Accidents	33.8
Motor Vehicle Accidents	20.0
Alzheimer's Disease	38.6
Diabetes Mellitus	20.4
Influenza & Pneumonia	21.4
Intentional Self-Harm (suicide)	LNE
Chronic Liver Disease and Cirrhosis	7.7
Infant Mortality	LNE

•Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Rural Health Clinic:

Menno Clinic, Menno Avera St. Benedict Cert. RH Clinic, Parkston Avera St. Benedict CRHC, Tripp

Community Health Services Community Health Services/PHA & WIC:

Freeman Regional Health Services, Freeman Avera St. Benedict Health Center, Parkston

All Women Count!

Regional Medical Clinic, Freeman Menno Clinic, Menno Avera St. Benedict Clinic, Parkston Avera St. Benedict Clinic, Tripp

Hospitals

Critical Access Hospitals:

Freeman Medical Center,	Freeman25	beds/15	swing
Avera St. Benedict Cntr. P	Parkston25	beds/15	swing

Long-Term Care

Nursing Facilities:

Oakview Terrace, Freeman	,
Menno-Olivet Care Center, Menno	
Avera Bormann Manor, Parkston47 beds	,
Good Samaritan Society, Tripp46 beds	
Assisted Living Centers:	
Salem Mennonite Home, Freeman	
Avera Bormann Manor AL, Parkston 3 beds	
Avera St. Benedict Assisted Living, Parkston 16 beds	,
Good Samaritan Society, Tripp	
Residential Living Centers	

Residential Living Centers:

Avera St. Benedict Residential Living, Parkston...9 beds

Home Health Agencies:

None


Medicare Certified Hospices:

Sanford Hospice, Freeman Avera Hospice, Parkston

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Hyde County is located in the central region of the state and averages 1.9 people per square mile.

2000 Population Information

Population	1,671
Percent White	91.1%
Percent American Indian	8.4%
Percent Age 65 or Over	22.3%
Percent Age 4 or Under	7.6%

Socioeconomic Indicators

Population Under 100% of Poverty	200
Percent of the Population	
Population Under 200% of Poverty	540
Percent of the Population	

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	LNE
Percent of Mothers Receiving	
Care in 1st Trimester	77.8%
Percent of Mothers Who	
Used Tobacco While Pregnant ²	13.4%
Births Less Than 37 Weeks of Gestation	7.3%
Average Age of Mother	27.7
Teenage Pregnancy Rate ³	LNE

Mortality⁴

ALL CAUSES790.1
○Heart Disease
Acute Myocardial Infarction79.7
Atherosclerotic Heart Disease
○Heart Failure
Malignant Neoplasms (cancer)
Trachea, Bronchus, & Lung35.1
Colon, Rectum, & AnusLNE
Female Breast LNI
Prostate
PancreasLNI
LeukemiaLNI
Non-Hodgkin's LymphomaLNI
Cerebrovascular Disease
Chronic Lower Respiratory Diseases
AccidentsLNF
Motor Vehicle AccidentsLNI
Alzheimer's Disease
Diabetes Mellitus27.4
Influenza & Pneumonia LNI
Intentional Self-Harm (suicide) LNE
Chronic Liver Disease and CirrhosisLNE
Infant MortalityLNE

- •Denotes a health status indicator which is significantly lower than the state average.
- $\circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Federally Qualified Health Center:

Highmore Clinic, Highmore

Community Health Services

WIC Site:

Hyde County Courthouse, Highmore

All Women Count!

Highmore Clinic, Highmore

Hospitals

None

Long-Term Care

Nursing Facilities:

Assisted Living Centers:

None

Residential Living Centers:

None

Home Health Agencies:

None

Medicare Certified Hospices:


None

¹All rates based on population are calculated according to the 2000 U.S. Census.

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Jackson County is located in western South Dakota and averages 1.6 persons per square mile.

2000 Population Information

Population	2,930
Percent White	
Percent American Indian	.49.6%
Percent Age 65 or Over	.11.6%
Percent Age 4 or Under	8.3%

Socioeconomic Indicators

Population Under 100% of Poverty	1,053
Percent of the Population	36.5%
Population Under 200% of Poverty	2,006
Percent of the Population	69.5%

¹All rates based on population are calculated according to the 2000 U.S. Census.

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	8.0%
 Percent of Mothers Receiving 	
Care in 1st Trimester	63.8%
Percent of Mothers Who	
Used Tobacco While Pregnant ²	22.2%
Births Less Than 37 Weeks of Gestation	11.8%
Average Age of Mother	
oTeenage Pregnancy Rate ³	42.7

Mortality⁴

oall causes	1155.9
Heart Disease	260.9
Acute Myocardial Infarction	126.0
Atherosclerotic Heart Disease	49.6
Heart Failure	27.5
Malignant Neoplasms (cancer)	244.4
Trachea, Bronchus, & Lung	36.5
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Prostate	95.0
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	42.6
Chronic Lower Respiratory Diseases	79.8
o Accidents	
Motor Vehicle Accidents	84.4
Alzheimer's Disease	LNE
Diabetes Mellitus	60.3
Influenza & Pneumonia	LNE
Intentional Self-Harm (suicide)	LNE
Chronic Liver Disease and Cirrhosis	
Infant Mortality	24.69
• Denotes a health status indicator which is significantly	ry larryan than

- Denotes a health status indicator which is significantly lower than the state average.
- ODenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Rural Health Clinic:

Kadoka Clinic, Kadoka

Community Health Services Community Health Services, WIC & Family

Planning: 720 6th Ave, Kadoka

WIC Site:

100 Clinic Drive, Wanblee

All Women Count!

Kadoka Clinic, Kadoka Wanblee IHS Health Center, Wanblee

Hospitals

None

Long-Term Care

Nursing Facilities:

Assisted Living Centers:

None

Residential Living Centers:

None

Home Health Agencies:

None

Medicare Certified Hospices:

None

See Technical Notes for more information.

Source: South Dakota Department of Health, Office of Data, Statistics, and Vital Records


²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Jerauld County

Demographic Information



Jerauld County is located in the central region of the state and averages 4.3 persons per square mile.

2000 Population Information

Population	2,295
Percent White	
Percent American Indian	0.8%
Percent Age 65 or Over	25.6%
Percent Age 4 or Under	

Socioeconomic Indicators

Population Under 100% of Poverty	464
Percent of the Population	
Population Under 200% of Poverty	856
Percent of the Population	

Health Status Indicators¹

Natality

Percent Low Birth Weight Infants	11.8%
Percent of Mothers Receiving	
Care in 1st Trimester	67.8%
 Percent of Mothers Who 	
Used Tobacco While Pregnant ²	9.8%
Births Less Than 37 Weeks of Gestation	8.7%
OAverage Age of Mother	28.0
Teenage Pregnancy Rate ³	LNE

Mortality⁴

•ALL CAUSES	590.5
Heart Disease	189.5
Acute Myocardial Infarction	87.4
Atherosclerotic Heart Disease	20.2
Heart Failure	28.3
Malignant Neoplasms (cancer)	172.9
Trachea, Bronchus, & Lung	33.5
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Prostate	57.7
Pancreas	22.7
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	24.5
Chronic Lower Respiratory Diseases	38.0
Accidents	
Motor Vehicle Accidents	LNE
• Alzheimer's Disease	12.4
Diabetes Mellitus	LNE
Influenza & Pneumonia	15.5
Intentional Self-Harm (suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

•Denotes a health status indicator which is significantly lower than the state average.

ODenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Federally Qualified Health Center:

Jerauld County Clinic, Wessington Springs

Community Health Services Community Health Services, WIC & Family

Planning: 606 1st Street NE, Wessington Springs

All Women Count!

Jerauld County Clinic, Wessington Springs

Hospitals

Critical Access Hospital:

Avera Weskota Memorial Medical Center, Wessington Springs25 beds/10 swing

Long-Term Care

Nursing Facilities:

Assisted Living Centers:

None

Residential Living Centers:

None

Home Health Agencies:

Weskota Home Health, Wessington Springs

Medicare Certified Hospices:

Avera Hospice, Wessington Springs

See Technical Notes for more information.


Source: South Dakota Department of Health, Office of Data, Statistics, and Vital Records

 $[\]overline{\,}^{1}$ All rates based on population are calculated according to the 2000 U.S. Census.

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Jones County is located in western South Dakota and averages 1.2 persons per square mile.

2000 Population Information

Population	1,193
Percent White	
Percent American Indian	3.9%
Percent Age 65 or Over	18.2%
Percent Age 4 or Under	

Socioeconomic Indicators

Population Under 100% of Poverty	188
Percent of the Population	15.8%
Population Under 200% of Poverty	492
Percent of the Population	41.2%

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	7.4%
Percent of Mothers Receiving	
Care in 1st Trimester	77.9%
Percent of Mothers Who	
Used Tobacco While Pregnant ²	16.2%
Births Less Than 37 Weeks of Gestation	8.8%
Average Age of Mother	27.8
Teenage Pregnancy Rate ³	LNE

Mortality⁴

ALL CAUSES	643.0
Heart Disease	
Acute Myocardial Infarction	LNE
Atherosclerotic Heart Disease	61.0
Heart Failure	LNE
Malignant Neoplasms (cancer)	199.6
Trachea, Bronchus, & Lung	72.7
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Prostate	LNE
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	LNE
Chronic Lower Respiratory Diseases	
Accidents	
Motor Vehicle Accidents	LNE
Alzheimer's Disease	LNE
Diabetes Mellitus	LNE
Influenza & Pneumonia	LNE
Intentional Self-Harm (suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

- •Denotes a health status indicator which is significantly lower than the state average.
- ODenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Federally Qualified Health Center:

Jones County Clinic, Murdo

Community Health Services

WIC Site:

609 Garfield Ave, Murdo

All Women Count!

Jones County Clinic, Murdo

Hospitals

None

Long-Term Care

Nursing Facilities:

None

Assisted Living Centers:

None

Residential Living Centers:

None

Home Health Agencies:

None

Medicare Certified Hospices:

None


See Technical Notes for more information.
Source: South Dakota Department of Health, Office of Data,
Statistics, and Vital Records

 $^{^{\}mathrm{T}}$ All rates based on population are calculated according to the 2000 U.S. Census.

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Kingsbury County is located in east central South Dakota and averages 6.9 persons per square mile.

2000 Population Information

Population	5,815
Percent White	
Percent American Indian	0.6%
Percent Age 65 or Over	24.2%
Percent Age 4 or Under	

Socioeconomic Indicators

Population Under 100% of Poverty	561
Percent of the Population	
Population Under 200% of Poverty	
Percent of the Population	

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	8.2%
Percent of Mothers Receiving	
Care in 1st Trimester	82.7%
Percent of Mothers Who	
Used Tobacco While Pregnant ²	16.9%
Births Less Than 37 Weeks of Gestation	10.2%
Average Age of Mother	
•Teenage Pregnancy Rate ³	9.5

Mortality⁴

ALL CAUSES782.7
Heart Disease 190.8
Acute Myocardial Infarction80.1
• Atherosclerotic Heart Disease
Heart Failure
Malignant Neoplasms (cancer)
•Trachea, Bronchus, & Lung
Colon, Rectum, & Anus
Female BreastLNE
Prostate45.2
Pancreas
LeukemiaLNE
Non-Hodgkin's LymphomaLNE
Cerebrovascular Disease
Chronic Lower Respiratory Diseases
Accidents
Motor Vehicle Accidents
Alzheimer's Disease 29.2
• Diabetes Mellitus
Influenza & Pneumonia
Intentional Self-Harm (suicide)LNE
Chronic Liver Disease and CirrhosisLNE
Infant MortalityLNE

- •Denotes a health status indicator which is significantly lower than the state average.
- $\circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Federally Qualified Health Center:

Bell Medical Service, DeSmet Lake Preston Clinic, Lake Preston

Rural Health Clinic:

Arlington Medical Clinic, Arlington

Community Health Services

WIC Site:

Kingsbury County Courthouse Annex, DeSmet

All Women Count!

Bell Medical Clinic, DeSmet Lake Preston Clinic, Lake Preston

Hospitals

Critical Access Hospitals:

DeSmet Mem Hospital, DeSmet......17 beds/8 swing

Long-Term Care

Nursing Facilities:

Golden Living Center, Arlington	48 beds
Good Samaritan Society, DeSmet	43 beds
Kingsbury Memorial Manor, Lake Preston	42 beds

Assisted Living Centers:

Good Samaritan Society, DeSmet	10	beds
Silver Plains Assisted Living, Lake Preston	15	beds

Residential Living Centers:

None

Home Health Agencies:

Good Samaritan Home Health, DeSmet

Medicare Certified Hospices:

None

See Technical Notes for more information.

Source: South Dakota Department of Health, Office of Data, Statistics and Vital Records

 $^{{}^{\}bar{1}}$ All rates based on population are calculated according to the 2000 U.S. Census.


²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Lake County

Demographic Information



Lake County is located in the east central region of the state and averages 20.0 persons per square mile.

2000 Population Information

Population	11,276
Percent White	97.8%
Percent American Indian	0.9%
Percent Age 65 or Over	16.3%
Percent Age 4 or Under	

Socioeconomic Indicators

Population Under 100% of Poverty	1,024
Percent of the Population	9.7%
Population Under 200% of Poverty	3,005
Percent of the Population	28.5%

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	6.1%
Percent of Mothers Receiving	
Care in 1st Trimester	82.0%
Percent of Mothers Who	
Used Tobacco While Pregnant ²	20.2%
Births Less Than 37 Weeks of Gestation	8.2%
Average Age of Mother	
•Teenage Pregnancy Rate ³	6.7

Mortality⁴

1.101.00110	
•ALL CAUSES	675.1
Heart Disease	173.3
Acute Myocardial Infarction	62.0
Atherosclerotic Heart Disease	
Heart Failure	7.1
Malignant Neoplasms (cancer)	142.6
Trachea, Bronchus, & Lung	53.3
Colon, Rectum, & Anus	14.0
Female Breast	21.8
Prostate	29.4
Pancreas	6.5
Leukemia	7.0
Non-Hodgkin's Lymphoma	4.8
Cerebrovascular Disease	65.9
Chronic Lower Respiratory Diseases	45.2
Accidents	28.1
Motor Vehicle Accidents	13.9
Alzheimer's Disease	35.9
Diabetes Mellitus	25.7
Influenza & Pneumonia	17.0
Intentional Self-Harm (suicide)	7.0
Chronic Liver Disease and Cirrhosis	10.0
Infant Mortality	LNE

•Denotes a health status indicator which is significantly lower than the state average.

 $\circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Medicare Certified End Stage Renal Dialysis Sanford Madison Dialysis, Madison

Community Health Services Community Health Services, WIC & Family

Planning: Lake County Courthouse, Madison

All Women Count!

Interlakes Medical Center, Madison Northland Family Practice, Madison

Hospitals

Critical Access Hospital:

Madison Comm Hosp, Madison25 beds/15 swing

Long-Term Care

Nursing Facilities:

Bethel Lutheran Home	, Madison	59	beds
Golden Living Center	Madison	57	beds

Assisted Living Centers:

Bethel Suites, Madison	. 16 beds
Heritage Senior Living, Madison	26 beds
Ramona ALC, Ramona	16 beds

Residential Living Centers:

None

Home Health Agencies:

Madison Home Care, Madison

Medicare Certified Hospices:

Madison Hospital Hospice, Madison

See Technical Notes for more information.

Source: South Dakota Department of Health, Office of Data, Statistics, and Vital Records

¹All rates based on population are calculated according to the 2000 U.S. Census


²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Lawrence County

Demographic Information



Lawrence County is located along the Wyoming border and averages 27.3 persons per square mile.

2000 Population Information

Population	21,802
Percent White	95.8%
Percent American Indian	2.9%
Percent Age 65 or Over	14.6%
Percent Age 4 or Under	

Socioeconomic Indicators

Population Under 100% of Poverty	3,073
Percent of the Population	14.8%
Population Under 200% of Poverty	7,737
Percent of the Population	

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	7.4%
Percent of Mothers Receiving	
Care in 1st Trimester	80.4%
Percent of Mothers Who	
Used Tobacco While Pregnant ²	21.4%
Births Less Than 37 Weeks of Gestation	8.5%
Average Age of Mother	
•Teenage Pregnancy Rate ³	11.4

Mortality⁴

1,101,001,00	
ALL CAUSES	794.1
Heart Disease	181.6
Acute Myocardial Infarction	73.8
Atherosclerotic Heart Disease	.46.3
Heart Failure	.14.3
Malignant Neoplasms (cancer)	207.1
Trachea, Bronchus, & Lung	.52.3
oColon, Rectum, & Anus	.30.6
Female Breast	33.2
Prostate	.35.2
Pancreas	.11.4
Leukemia	4.5
Non-Hodgkin's Lymphoma	8.6
Cerebrovascular Disease	.54.6
Chronic Lower Respiratory Diseases	.60.2
Accidents	.48.7
Motor Vehicle Accidents	.23.7
Alzheimer's Disease	.33.6
Diabetes Mellitus	.20.1
Influenza & Pneumonia	.19.4
Intentional Self-Harm (suicide)	.18.8
Chronic Liver Disease and Cirrhosis	5.5
Infant Mortality	.4.54
•	

•Denotes a health status indicator which is significantly lower than the state average.

ODenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Inpatient Chemical Dependency Facilities:

Timberline Treatment Center, Spearfish

Medicare Certified End Stage Renal Dialysis Regional Dialysis Center, Spearfish

Community Health Services

Community Health Services, WIC & Family

Planning: Pluma School, Deadwood

Community Health Services & WIC:

930 N 10th Street, Spearfish

Family Planning Clinics:

Family Health Education Services, Spearfish

All Women Count!

There are 7 All Women Count! sites in Lawrence County. For more information refer to page 242 in the Appendix.

Hospitals

 $Spearfish\ Regional\ Hosp,\ Spearfish\40\ beds/6\ swing$

Critical Access Hospital:

Lead-Deadwood Regional Hosp,

Specialized Hospital:

Spearfish Regional Surgery Center, Spearfish......4 beds

Long-Term Care

Nursing Facilities:

Dorsett Regional Senior Care, Spearfish95 beds

Assisted Living Centers:

There are 8 assisted living centers in Lawrence County. For more information refer to page 242 in the Appendix.

Residential Living Centers:

There are 4 residential living centers in Lawrence County. For more information refer to page 242 in the Appendix.

Home Health Agencies:

Spearfish Regional Hospital Home Care, Spearfish

Medicare Certified Hospices:

Spearfish Regional Hospice of the Northern Hills, Spearfish

See Technical Notes for more information.

Source: South Dakota Department of Health, Office of Data,

Statistics, and Vital Records

 $[\]overline{\mbox{ }}$ All rates based on population are calculated according to the 2000 U.S. Census.


²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Lincoln County

Demographic Information



Lincoln County is located in southeastern South Dakota and averages 41.7 persons per square mile.

2000 Population Information

Population	24,131
Percent White	97.5%
Percent American Indian	0.8%
Percent Age 65 or Over	10.4%
Percent Age 4 or Under	8.0%

Socioeconomic Indicators

Population Under 100% of Poverty	1,053
Percent of the Population	4.4%
Population Under 200% of Poverty	4,263
Percent of the Population	17.9%

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	5.7%
 Percent of Mothers Receiving 	
Care in 1st Trimester	83.3%
 Percent of Mothers Who 	
Used Tobacco While Pregnant ²	9.5%
Births Less Than 37 Weeks of Gestation	9.2%
OAverage Age of Mother	28.4
•Teenage Pregnancy Rate ³	12.3

Mortality⁴

OALL CAUSES

OALL CAUSES	
Heart Disease	201.3
Acute Myocardial Infarction	78.9
Atherosclerotic Heart Disease	59.6
Heart Failure	5.2
OMalignant Neoplasms (cancer)	268.8
oTrachea, Bronchus, & Lung	
Colon, Rectum, & Anus	18.9
oFemale Breast	48.7
Prostate	32.9
Pancreas	21.2
oLeukemia	17.7
Non-Hodgkin's Lymphoma	7.2
Cerebrovascular Disease	64.4
Chronic Lower Respiratory Diseases	42.3
Accidents	
Motor Vehicle Accidents	21.1
Alzheimer's Disease	37.0
Diabetes Mellitus	26.4
Influenza & Pneumonia	25.3
Intentional Self-Harm (suicide)	12.5
Chronic Liver Disease and Cirrhosis	4.2
Infant Mortality	6.05
Denotes a health status indicator which is significant	

•Denotes a health status indicator which is significantly lower than the state average.

ODenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Inpatient Chemical Dependency Facilities:

Keystone Treatment Center, Canton

Rural Health Clinic:

Lennox Area Medical Center, Lennox

Community Health Services

WIC Site:

930.2

723 East 5th Street, Canton

All Women Count!

Sanford Clinic-Canton Family Physicians, Canton Avera Harrisburg Clinic, Harrisburg Sanford Clinic, Harrisburg Lennox Area Medical Center, Lennox Avera Tea Clinic, Tea

Hospitals

Critical Access Hospital:

Specialized Hospitals:

Long-Term Care

Nursing Facilities:

Canton Good Samaritan Cntr, Canton	. 52 beds
Hudson Healthcare Center, Hudson	.36 beds
Good Samaritan Society, Lennox	. 58 beds

Assisted Living Centers:

There are 6 assisted living centers in Lawrence County. For more information refer to page 242 in the Appendix.

Residential Living Centers:

Hilda's Heritage Home, Lennox	8 beds
McClung Adult Care Services, Canton	3 beds
Trail Ridge Retirement Comm, Sioux Falls	112 beds

Home Health Agencies:

Universal Pediatric Services, Sioux Falls

Medicare Certified Hospices:

Compassionate Care Hospice, Sioux Falls

See Technical Notes for more information.

 $^{{}^{\}overline{}}$ All rates based on population are calculated according to the 2000 U.S. Census.


²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Lyman County

Demographic Information



Lyman County is located in central South Dakota and averages 2.4 persons per square mile.

2000 Population Information

Population	3,895
Percent White	
Percent American Indian	34.7%
Percent Age 65 or Over	13.6%
Percent Age 4 or Under	

Socioeconomic Indicators

Population Under 100% of Poverty	941
Percent of the Population	
Population Under 200% of Poverty	1,916
Percent of the Population	49.4%

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	4.7%
 Percent of Mothers Receiving 	
Care in 1st Trimester	64.5%
 Percent of Mothers Who 	
Used Tobacco While Pregnant ²	26.6%
Births Less Than 37 Weeks of Gestation	12.4%
Average Age of Mother	25.7
Teenage Pregnancy Rate ³	24.6
Births Less Than 37 Weeks of Gestation	12.4%

Mortality⁴

ALL CAUSES	729.1
Heart Disease	153.6
Acute Myocardial Infarction	93.5
Atherosclerotic Heart Disease	24.8
Heart Failure	LNE
Malignant Neoplasms (cancer)	148.6
Trachea, Bronchus, & Lung	70.1
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Prostate	LNE
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	
Cerebrovascular Disease	39.4
Chronic Lower Respiratory Diseases	39.5
Accidents	87.7
Motor Vehicle Accidents	45.7
Alzheimer's Disease	LNE
Diabetes Mellitus	29.9
Influenza & Pneumonia	LNE
Intentional Self-Harm (suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

• Denotes a health status indicator which is significantly lower than the state average.

ODenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Rural Health Clinic:

Stanley-Jones Memorial Clinic, Presho

Community Health Services Community Health Services & WIC:

Lyman County Courthouse, Kennebec

WIC Site:

187 Oyate Circle, Lower Brule

All Women Count!

Sanford Clinic, Kennebec Lower Brule IHS Clinic, Lower Brule Stanley-Jones Memorial Clinic, Presho

Hospitals

None

Long-Term Care

Nursing Facilities:

None

Assisted Living Centers:

None

Residential Living Centers:

Home Health Agencies:

None

Medicare Certified Hospices:

None


See Technical Notes for more information.

 $^{{}^{\}overline{1}}$ All rates based on population are calculated according to the 2000 U.S. Census.

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



McCook County is located in eastern South Dakota and averages 10.2 persons per square mile.

2000 Population Information

Population	5,832
Percent White	
Percent American Indian	0.6%
Percent Age 65 or Over	19.5%
Percent Age 4 or Under	

Socioeconomic Indicators

Population Under 100% of Poverty	458
Percent of the Population	8.1%
Population Under 200% of Poverty	1,724
Percent of the Population	

 $[\]overline{^{1}}\mbox{All}$ rates based on population are calculated according to the 2000 U.S. Census.

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	7.9%
Percent of Mothers Receiving	
Care in 1st Trimester	80.5%
 Percent of Mothers Who 	
Used Tobacco While Pregnant ²	11.1%
Births Less Than 37 Weeks of Gestation	10.7%
OAverage Age of Mother	
Teenage Pregnancy Rate ³	LNE

Mortality⁴

ALL CAUSES

ALL CAUSES	/ 80.9
Heart Disease	
Acute Myocardial Infarction	78.9
Atherosclerotic Heart Disease	63.7
Heart Failure	LNE
Malignant Neoplasms (cancer)	182.8
Trachea, Bronchus, & Lung	52.8
Colon, Rectum, & Anus	15.1
Female Breast	LNE
Prostate	38.0
Pancreas	7.6
Leukemia	11.2
Non-Hodgkin's Lymphoma	8.4
Cerebrovascular Disease	43.0
Chronic Lower Respiratory Diseases	
Accidents	78.8
Motor Vehicle Accidents	53.2
Alzheimer's Disease	39.4
Diabetes Mellitus	8.5
Influenza & Pneumonia	24.4
Intentional Self-Harm (suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	10.15
•	

- •Denotes a health status indicator which is significantly lower than the state average.
- $\circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Rural Health Clinic:

Avera Salem Family Medical Clinic, Salem McGreevy Clinic, Salem Rural Medical Clinics, Bridgewater

Community Health Services Community Health Services & WIC:

McCook County Courthouse, Salem

All Women Count!

Rural Medical Clinic, Bridgewater Avera Salem Family Medical Clinic, Salem McGreevy Clinic, Salem

Hospitals

None

786 9

Long-Term Care

Nursing Facilities:

Diamond Care Center, Bridgewater	35	beds
Good Samaritan Society, Canistota	46	beds
Golden Living Center, Salem	59	beds

Assisted Living Centers:

Grandview, Bridgewater	14 beds
Good Samaritan Society, Canistota	12 beds
Leisure Living, Salem	10 beds

Residential Living Centers:

Leisure Living Apartments,	Salem	20 beds

Home Health Agencies:

State Home Care Services, Salem

Medicare Certified Hospices:


None

See Technical Notes for more information.

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



McPherson County is located in the north central region of the state and averages 2.6 persons per square mile.

2000 Population Information

Population	2,904
Percent White	
Percent American Indian	0.4%
Percent Age 65 or Over	29.6%
Percent Age 4 or Under	

Socioeconomic Indicators

Population Under 100% of Poverty	640
Percent of the Population	
Population Under 200% of Poverty	1,446
Percent of the Population	51.1%

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	12.7%
Percent of Mothers Receiving	
Care in 1st Trimester	69.4%
 Percent of Mothers Who 	
Used Tobacco While Pregnant ²	11.5%
Births Less Than 37 Weeks of Gestation	10.8%
OAverage Age of Mother	29.4
Teenage Pregnancy Rate ³	15.9

Mortality⁴

•ALL CAUSES	633.2
Heart Disease	202.4
Acute Myocardial Infarction	71.2
Atherosclerotic Heart Disease	70.5
Heart Failure	9.1
Malignant Neoplasms (cancer)	128.4
●Trachea, Bronchus, & Lung	27.0
Colon, Rectum, & Anus	19.8
Female Breast	LNE
Prostate	27.5
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	41.3
Chronic Lower Respiratory Diseases	20.8
Accidents	62.8
Motor Vehicle Accidents	39.8
Alzheimer's Disease	27.3
Diabetes Mellitus	13.5
Influenza & Pneumonia	LNE
Intentional Self-Harm (suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

- •Denotes a health status indicator which is significantly lower than the state average.
- ODenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Community Health Services Community Health Services/PHA & WIC:

Eureka Community Hospital, Eureka McPherson County Courthouse, Leola

All Women Count!

Alandy Clinic, Eureka Eureka Medical Clinic, Eureka

Hospitals

Critical Access Hospital:

Eureka Comm. Health Services beds/6 swing

Long-Term Care

Nursing Facilities:

Avera Eureka Health Care Center, Eureka 55 beds

Assisted Living Centers:

Eureka Community Health Services, Eureka...... 10 beds Avera Eureka Health Care Center AL, Eureka...... 4 beds

Residential Living Centers:

None

Home Health Agencies:

Eureka Home Health Agency, Eureka

Medicare Certified Hospices:

None

See Technical Notes for more information.

¹All rates based on population are calculated according to the 2000 U.S. Census


²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Marshall County

Demographic Information



Marshall County is located in the northeastern part of the state and averages 5.5 persons per square mile.

2000 Population Information

Population	4,576
Percent White	92.6%
Percent American Indian	6.8%
Percent Age 65 or Over	21.3%
Percent Age 4 or Under	5.9%

Socioeconomic Indicators

Population Under 100% of Poverty	621
Percent of the Population	13.9%
Population Under 200% of Poverty	1,741
Percent of the Population	38.9%

 $[\]overline{^{1}}\mbox{All}$ rates based on population are calculated according to the 2000 U.S. Census.

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	4.4%
Percent of Mothers Receiving	
Care in 1st Trimester	65.0%
Percent of Mothers Who	
Used Tobacco While Pregnant ²	18.1%
Births Less Than 37 Weeks of Gestation	9.7%
Average Age of Mother	27.2
Teenage Pregnancy Rate ³	11.6

Mortality⁴

•	
•ALL CAUSES	639.1
Heart Disease	161.2
Acute Myocardial Infarction	80.1
Atherosclerotic Heart Disease	
Heart Failure	LNE
Malignant Neoplasms (cancer)	
Trachea, Bronchus, & Lung	37.8
Colon, Rectum, & Anus	
Female Breast	
Prostate	23.4
Pancreas	
Leukemia	
Non-Hodgkin's Lymphoma	
Cerebrovascular Disease	
Chronic Lower Respiratory Diseases	
Accidents	
Motor Vehicle Accidents	
• Alzheimer's Disease	
Diabetes Mellitus	
Influenza & Pneumonia.	
Intentional Self-Harm (suicide)	
Chronic Liver Disease and Cirrhosis	
Infant Mortality	

•Denotes a health status indicator which is significantly lower than the state average.

ODenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Community Health Services Community Health Services & WIC:

Community Building, Britton

All Women Count!

Avera Marshall County Clinic, Britton

Hospitals

Critical Access Hospital:

Marshall County Healthcare Center, Britton......20 beds/10 swing

Long-Term Care

Nursing Facilities:

Assisted Living Centers:

Residential Living Centers:

None

Home Health Agencies:

Marshall County Healthcare Center Home Health, Britton

Medicare Certified Hospices:


None

See Technical Notes for more information.

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Meade County is located in west central South Dakota and averages 7.0 persons per square mile.

2000 Population Information

Population	24,253
Percent White	92.7%
Percent American Indian	3.4%
Percent Age 65 or Over	10.4%
Percent Age 4 or Under	7.7%

Socioeconomic Indicators

Population Under 100% of Poverty	2,195
Percent of the Population	9.4%
Population Under 200% of Poverty	7,681
Percent of the Population	

¹All rates based on population are calculated according to the 2000 U.S.

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	7.7%
Percent of Mothers Receiving	
Care in 1st Trimester	78.3%
Percent of Mothers Who	
Used Tobacco While Pregnant ²	16.9%
Births Less Than 37 Weeks of Gestation	8.3%
Average Age of Mother	26.5
Teenage Pregnancy Rate ³	14.9
6 6 7	

Mortality⁴

1vioi tunty	
OALL CAUSES	
OHeart Disease	
Acute Myocardial Infarction	75.2
OAtherosclerotic Heart Disease	92.3
○Heart Failure	21.1
OMalignant Neoplasms (cancer)	245.9
Trachea, Bronchus, & Lung	66.1
Colon, Rectum, & Anus	19.2
Female Breast	26.7
Prostate	42.9
Pancreas	18.1
Leukemia	8.7
Non-Hodgkin's Lymphoma	11.0
Cerebrovascular Disease	62.9
oChronic Lower Respiratory Diseases	77.6
o Accidents	75.0
OMotor Vehicle Accidents	37.8
Alzheimer's Disease	30.1
Diabetes Mellitus	30.7
Influenza & Pneumonia	24.7
Intentional Self-Harm (suicide)	22.6
Chronic Liver Disease and Cirrhosis	
Infant Mortality	8.32

•Denotes a health status indicator which is significantly lower than the state average.

ODenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Federally Qualified Health Center:

Faith Health Center, Faith

Inpatient Chemical Dependency Facilties:

Black Hills Recovery Center, Black Hawk

Community Health Services

Community Health Services, WIC & Family

Planning: 2nd Ave West, Faith

Community Health Services & WIC:

Meade County Courthouse, Sturgis

All Women Count!

Prairie Community Health, Faith Black Hills Family Practice, Sturgis Dakota Hills Family Practice, Sturgis Massa Berry Clinic, Sturgis Queen City Medical Sturgis

Hospitals

Veterans' Administration:

VA Black Hills Health Care System, Ft. Meade

Critical Access Hospital:

Sturgis Regional Hospital, Sturgis......25 beds/10 swing

Long-Term Care

Nursing Facilities:

Sturgis Regional Senior Care	84 beds
Assisted Living Centers:	
Dakota Hills ALC, Sturgis	10 beds
Foothills Assisted Living, Sturgis	16 beds
Key City Retirement Home, Sturgis	15 beds
Residential Living Centers:	
Our House, Sturgis	6 beds

Home Health Agencies:

None

Medicare Certified Hospices:


None

See Technical Notes for more information.

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Mellette County is located in the south central region of the state and averages 1.6 persons per square mile.

2000 Population Information

Population	2,083
Percent White	
Percent American Indian	54.9%
Percent Age 65 or Over	13.2%
Percent Age 4 or Under	

Socioeconomic Indicators

Population Under 100% of Poverty	724
Percent of the Population	35.8%
Population Under 200% of Poverty	1,249
Percent of the Population	61.8%

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	9.3%
 Percent of Mothers Receiving 	
Care in 1st Trimester	55.5%
Percent of Mothers Who	
Used Tobacco While Pregnant ²	20.1%
oBirths Less Than 37 Weeks of Gestation	15.4%
Average Age of Mother	24.4
oTeenage Pregnancy Rate ³	74.1
5 5 5	

Mortality⁴

- ALL CALIGED

OALL CAUSES	1133.5
Heart Disease	223.8
Acute Myocardial Infarction	141.0
Atherosclerotic Heart Disease	LNE
Heart Failure	LNE
Malignant Neoplasms (cancer)	218.8
Trachea, Bronchus, & Lung	
Colon, Rectum, & Anus	LNE
Female Breast	74.4
Prostate	LNE
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	LNE
Chronic Lower Respiratory Diseases	69.8
o Accidents	180.7
Motor Vehicle Accidents	117.6
Alzheimer's Disease	LNE
Diabetes Mellitus	
Influenza & Pneumonia	LNE
Intentional Self-Harm (suicide)	LNE
Chronic Liver Disease and Cirrhosis	51.1
Infant Mortality	23.15

- •Denotes a health status indicator which is significantly lower than the state average.
- ODenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Federally Qualified Health Center:

Mellette County Healthcare, White River

Community Health Services

WIC Services are provided by Stanley County Public Health Services office.

All Women Count!

Mellette County Health Clinic, White River

Hospitals

None

1122 5

Long-Term Care

Nursing Facilities:

White River Health Care Center,

Assisted Living Centers:

None

Residential Living Centers:

None

Home Health Agencies:

None

Medicare Certified Hospices:

None

See Technical Notes for more information.

Source: South Dakota Department of Health, Office of Data, Statistics, and


Vital Records

¹All rates based on population are calculated according to the 2000 U.S.

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Miner County is a located in the east central region of the state and averages 5.1 persons per square mile.

2000 Population Information

Population	2,884
Percent White	
Percent American Indian	0.4%
Percent Age 65 or Over	23.9%
Percent Age 4 or Under	

Socioeconomic Indicators

Population Under 100% of Poverty	334
Percent of the Population	11.8%
Population Under 200% of Poverty	1,058
Percent of the Population	37.4%

¹All rates based on population are calculated according to the 2000 U.S. Census.

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	5.7%
Percent of Mothers Receiving	
Care in 1st Trimester	80.3%
 Percent of Mothers Who 	
Used Tobacco While Pregnant ²	12.4%
Births Less Than 37 Weeks of Gestation	7.2%
Average Age of Mother	
Teenage Pregnancy Rate ³	LNE

Mortality⁴

•ALL CAUSES	618.5
Heart Disease	153.4
Acute Myocardial Infarction	29.7
Atherosclerotic Heart Disease	28.1
Heart Failure	LNE
Malignant Neoplasms (cancer)	157.5
Trachea, Bronchus, & Lung	66.0
Colon, Rectum, & Anus	27.3
Female Breast	LNE
Prostate	LNE
Pancreas	13.2
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	34.2
• Chronic Lower Respiratory Diseases	24.7
Accidents	72.7
Motor Vehicle Accidents	31.0
Alzheimer's Disease	15.6
Diabetes Mellitus	16.9
Influenza & Pneumonia	13.2
Intentional Self-Harm (suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

•Denotes a health status indicator which is significantly lower than the state average.

oDenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Federally Qualified Health Center:

Howard Clinic, Howard

Rural Health Clinic:

Avera St. Joseph Clinic, Howard

Community Health Services Community Health Services, WIC & Family

Planning: Miner County Courthouse, Howard

All Women Count!

Howard Community Horizon Health Care, Howard Avera St. Joseph Clinic, Howard

Hospitals

None

Long-Term Care

Nursing Facilities:

Good Samaritan Society, Howard59 beds

Assisted Living Centers:

Residential Living Centers:

None

Home Health Agencies:

None

Medicare Certified Hospices:


None

See Technical Notes for more information.

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Minnehaha County is located in southeastern South Dakota and averages 183.1 persons per square mile.

2000 Population Information

Population	148,281
Percent White	93.0%
Percent American Indian	2.3%
Percent Age 65 or Over	11.0%
Percent Age 4 or Under	7.3%

Socioeconomic Indicators

Population Under 100% of Poverty	10,790
Percent of the Population	7.5%
Population Under 200% of Poverty	30,666
Percent of the Population	21.4%

¹All rates based on population are calculated according to the 2000 U.S.

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	6.8%
Percent of Mothers Receiving	
Care in 1st Trimester	75.0%
Percent of Mothers Who	
Used Tobacco While Pregnant ²	18.4%
Births Less Than 37 Weeks of Gestation	9.4%
OAverage Age of Mother	27.3
Teenage Pregnancy Rate ³	22.1
e e ;	

Mortality⁴

ALL CAUSES	824.7
Heart Disease	
Acute Myocardial Infarction	
OAtherosclerotic Heart Disease	
Heart Failure	
Malignant Neoplasms (cancer)	214.2
oTrachea, Bronchus, & Lung	61.9
Colon, Rectum, & Anus	19.3
Female Breast	27.6
Prostate	25.1
Pancreas	13.7
Leukemia	9.8
Non-Hodgkin's Lymphoma	6.8
Cerebrovascular Disease	56.4
oChronic Lower Respiratory Diseases	59.2
• Accidents	40.7
Motor Vehicle Accidents	16.4
oAlzheimer's Disease	35.6
Diabetes Mellitus	19.2
Influenza & Pneumonia	18.9
Intentional Self-Harm (suicide)	15.7
Chronic Liver Disease and Cirrhosis	10.9
Infant Mortality	6.24

•Denotes a health status indicator which is significantly lower than the state average.

ODenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Ambulatory Surgery Center

Jones Eye Clinic, Sioux Falls Ophthalmology LTD Eye Surgery Center, Sioux Falls Prairie States Surgical Center, Sioux Falls

Disease Intervention Office:

1200 North West Ave, Sioux Falls

Federally Qualified Health Center:

Sioux River Valley Comm. Hlth. Ctr., Sioux Falls SD Urban Indian Health, Sioux Falls

Inpatient Chemical Dependency Facilities

Volunteers of America, Dakotas-Heelser Adolescent Treatment Center, Sioux Falls

Medicare Certified End Stage Renal Dialysis

Sanford USD Medical Center Dialysis, Sioux Falls Sioux Falls Community Dialysis Unit, Sioux Falls

Community Health Services Community Health Services, WIC, and Bright **Start Home Visitation Program:**

1200 North West Ave, Sioux Falls

Family Planning Clinics:

Sanford Health Downtown Women's Health, Sioux Falls Urban Indian Health, Sioux Falls

All Women Count!

There are 33 All Women Count! sites in Minnehaha County. For more information refer to pages 242-243 in the Appendix.

Children's Special Health Services:

Sanford Health, Sioux Falls

Hospitals

There are 7 hospitals in Minnehaha County. For more information refer to pages 242-243 in the Appendix.

Long-Term Care/Home Health Agencies


There are 48 long-term care facilities and home health agencies in Minnehaha County. For more information refer to pages 242-243 in the Appendix.

See Technical Notes for more information.

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Moody County is located on the Minnesota border and averages 12.7 persons per square mile.

2000 Population Information

Population	6,595
Percent White	84.9%
Percent American Indian	13.8%
Percent Age 65 or Over	14.9%
Percent Age 4 or Under	6.2%

Socioeconomic Indicators

Population Under 100% of Poverty	623
Percent of the Population	9.6%
Population Under 200% of Poverty	1,933
Percent of the Population	

¹All rates based on population are calculated according to the 2000 U.S. Census.

Health Status Indicators¹

Natality

Percent Low Birth Weight Infants	6.5%
Percent of Mothers Receiving	
Care in 1st Trimester	73.4%
Percent of Mothers Who	
Used Tobacco While Pregnant ²	22.1%
Births Less Than 37 Weeks of Gestation	9.2%
Average Age of Mother	
Teenage Pregnancy Rate ³	12.1

Mortality⁴

ALL CAUSES	723.2
Heart Disease	215.6
Acute Myocardial Infarction	33.0
Atherosclerotic Heart Disease	
Heart Failure	LNE
Malignant Neoplasms (cancer)	146.0
Trachea, Bronchus, & Lung	
Colon, Rectum, & Anus	18.5
Female Breast	
Prostate	LNE
Pancreas	13.4
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	51.6
Chronic Lower Respiratory Diseases	33.1
Accidents	
Motor Vehicle Accidents	44.0
oAlzheimer's Disease	59.1
Diabetes Mellitus	17.4
•Influenza & Pneumonia	7.6
Intentional Self-Harm (suicide)	LNE
Chronic Liver Disease and Cirrhosis	14.5
Infant Mortality	15.63
-	

•Denotes a health status indicator which is significantly lower than the state average.

ODenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Rural Health Clinic:

Flandreau Medical Clinic Avera, Flandreau

Community Health Services

Community Health Services/PHA, WIC & Family

Planning: 309 N Prairie Street, Flandreau

All Women Count!

Flandreau Medical Clinic, Flandreau Tribal Health Clinic, Flandreau Avera Colome Family Clinic, Colome

Hospitals

Critical Access Hospital:

Flandreau Medical Center/Avera Health Flandreau18 beds/8 swing

Long-Term Care

Nursing Facilities:

Riverview Manor, Flandreau 60 beds

Assisted Living Centers:

Greenleaf Assisted Living, Flandreau	. 16 beds
Riverview Health Services, Flandreau	4 beds
Trent Assisted Living Center, Trent	. 16 beds

Residential Living Centers:

None

Home Health Agencies:

Flandreau Home Care/Avera Health, Flandreau Riverview Home Health, Flandreau

Medicare Certified Hospices:

None

See Technical Notes for more information.


²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Pennington County

Demographic Information



Pennington County is located on the Wyoming border and averages 31.9 persons per square mile.

2000 Population Information

Population	88,565
Percent White	86.7%
Percent American Indian	9.9%
Percent Age 65 or Over	11.8%
Percent Age 4 or Under	7.1%

Socioeconomic Indicators

Population Under 100% of Poverty	9,967
Percent of the Population	11.5%
Population Under 200% of Poverty	
Percent of the Population	30.0%

¹All rates based on population are calculated according to the 2000 U.S.

Health Status Indicators¹

Natality

Percent Low Birth Weight Infants	7.3%
Percent of Mothers Receiving	
Care in 1st Trimester	76.2%
oPercent of Mothers Who	
Used Tobacco While Pregnant ²	21.7%
Births Less Than 37 Weeks of Gestation	8.6%
Average Age of Mother	26.0
oTeenage Pregnancy Rate ³	25.2

Mortality⁴

ALL CALIGRO

ALL CAUSES	801.5
Heart Disease	197.4
Acute Myocardial Infarction	74.7
Atherosclerotic Heart Disease	62.7
Heart Failure	9.4
OMalignant Neoplasms (cancer)	209.8
Trachea, Bronchus, & Lung	
Colon, Rectum, & Anus	
Female Breast	
Prostate	39.2
Pancreas	11.3
Leukemia	8.3
Non-Hodgkin's Lymphoma	
Cerebrovascular Disease	36.5
Chronic Lower Respiratory Diseases	
Accidents	
Motor Vehicle Accidents	13.0
oAlzheimer 's disease	40.3
Diabetes Mellitus	26.5
Influenza & Pneumonia	17.2
Intentional Self-Harm (suicide)	15.0
Chronic Liver Disease and Cirrhosis	
Infant Mortality	6.90

• Denotes a health status indicator which is significantly lower than the state average.

ODenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Ambulatory Surgery Center

There are 5 ambulatory surgery centers in Pennington County. For more information refer to pages 243-244 in the Appendix.

Disease Intervention Office:

909 E St. Patrick STE 7, Rapid City

Federally Qualified Health Center:

Community Health of the Black Hills, Rapid City Rapid City Community Health Center, Rapid City

Inpatient Chemical Dependency Facilities

Full Circle Women's Program, Rapid City

Wellspring, Inc-Chemical Depdency Trt Ctr, Rapid City

Medicare Certified End Stage Renal Dialysis

Regional Dialysis Center, Rapid City

Rural Health Clinic:

001 5

Hill City Medical Clinic, Hill City Wall Health Services Inc, Wall

Community Health Services

Community Health Services, WIC and Bright

Start Home Visitation Program:

Department of Health, Rapid City

Community Health Services, WIC & Family

Planning: 243 Deerfield Rd, Hill City

Family Planning Clinics:

Community Health Center of the Black Hills, Rapid City

WIC Sites:

Ellsworth Air Force Base

Methodist Church, Wall

All Women Count!

There are 17 All Women Count! sites in Pennington County. For more information refer to pages 243-244 in the Appendix.

Children's Special Health Services:

730 E Watertown St, Rapid City

Hospitals/Long-Term Care/HHA


There are 4 hospitals, 29 long-term care facilities, and 4 home health agencies in Pennington County. For more information refer to pages 243-244 in the Appendix.

See Technical Notes for more information.

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Perkins County is located in northwestern South Dakota and averages 1.2 persons per square mile.

2000 Population Information

Population	3,363
Percent White	96.6%
Percent American Indian	2.2%
Percent Age 65 or Over	23.7%
Percent Age 4 or Under	5.8%

Socioeconomic Indicators

Population Under 100% of Poverty	561
Percent of the Population	16.9%
Population Under 200% of Poverty	1,469
Percent of the Population	

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	3.5%
Percent of Mothers Receiving	
Care in 1st Trimester	69.3%
Percent of Mothers Who	
Used Tobacco While Pregnant ²	15.0%
Births Less Than 37 Weeks of Gestation	7.9%
Average Age of Mother	
Teenage Pregnancy Rate ³	LNE
= = =	

Mortality⁴

1,101,001,00	
•ALL CAUSES	
Heart Disease	
Acute Myocardial Infarction	56.2
Atherosclerotic Heart Disease	
Heart Failure	19.9
Malignant Neoplasms (cancer)	169.1
Trachea, Bronchus, & Lung	31.7
Colon, Rectum, & Anus	32.3
Female Breast	
Prostate	LNE
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	
Chronic Lower Respiratory Diseases	40.3
Accidents	43.2
Motor Vehicle Accidents	30.6
Alzheimer's Disease	25.4
Diabetes Mellitus	17.0
Influenza & Pneumonia	23.8
Intentional Self-Harm (suicide)	LNE
Chronic Liver Disease and Cirrhosis	
Infant Mortality	LNE
•	

- •Denotes a health status indicator which is significantly lower than the state average.
- ODenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Federally Qualified Health Center:

Bison Community Clinic, Bison

Rural Health Clinic:

West River Health Clinic, Lemmon

Community Health Services

Community Health Services, WIC & Family

Planning: 105 West Main St, Bison

11 East 4th, Lemmon

All Women Count!

Bison Community Clinic, Bison Lemmon Clinic, Lemmon

Hospitals

None

Long-Term Care

Nursing Facilities:

Assisted Living Centers:

Residential Living Centers:

None

Home Health Agencies:

None

Medicare Certified Hospices:

None


See Technical Notes for more information.

¹All rates based on population are calculated according to the 2000 U.S.

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Potter County is located in north central South Dakota and averages 3.1 persons per square mile.

2000 Population Information

Population	2,693
Percent White	98.1%
Percent American Indian	1.2%
Percent Age 65 or Over	25.0%
Percent Age 4 or Under	4.5%

Socioeconomic Indicators

Population Under 100% of Poverty	331
Percent of the Population	12.6%
Population Under 200% of Poverty	971
Percent of the Population	

 $[\]overline{\,}^{1}$ All rates based on population are calculated according to the 2000 U.S. Census.

Health Status Indicators¹

Natality

Percent Low Birth Weight Infants	3%
Percent of Mothers Receiving	
Care in 1st Trimester	4%
 Percent of Mothers Who 	
Used Tobacco While Pregnant ²	2%
Births Less Than 37 Weeks of Gestation	5%
OAverage Age of Mother	8.2
Teenage Pregnancy Rate ³ 10	6.7
· · ·	

Mortality⁴

ALL CAUSES	714.0
Heart Disease	189.7
Acute Myocardial Infarction	34.5
Atherosclerotic Heart Disease	
Heart Failure	23.0
Malignant Neoplasms (cancer)	162.0
Trachea, Bronchus, & Lung	46.5
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Prostate	32.1
Pancreas	14.5
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	27.2
Chronic Lower Respiratory Diseases	60.6
Accidents	45.7
Motor Vehicle Accidents	32.4
Alzheimer's Disease	22.9
Diabetes Mellitus	25.1
Influenza & Pneumonia	19.9
Intentional Self-Harm (suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

• Denotes a health status indicator which is significantly lower than the state average.

 $\circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Federally Qualified Health Center:

Gettysburg Community Care Clinic, Gettysburg

Rural Health Clinic:

Hoven Medical Clinic, Hoven

Community Health Services

WIC Site:

318 Main Street, Hoven

All Women Count!

Gettysburg Community Care Clinic, Gettysburg

Hospitals

Critical Access Hospital:

Gettysburg Mem Hosp, Gettysburg 10 beds/10 swing

Specialized Hospital:

Holy Infant Hospital, Hoven......26 beds/13 swing

Long-Term Care

Nursing Facilities:

Assisted Living Centers:

Holy Infant Hospital ALC, Hoven......4 beds

Residential Living Centers:

None

Home Health Agencies:

None

Medicare Certified Hospices:

None

See Technical Notes for more information.


²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Roberts County

Demographic Information



Roberts County is located in the extreme northeastern corner of the state and averages 9.1 persons per square mile.

2000 Population Information

Population	10,016
Percent White	68.3%
Percent American Indian	31.2%
Percent Age 65 or Over	17.0%
Percent Age 4 or Under	6.7%

Socioeconomic Indicators

Population Under 100% of Poverty	2,175
Percent of the Population	22.1%
Population Under 200% of Poverty	4,712
Percent of the Population	

¹All rates based on population are calculated according to the 2000 U.S. Census.

Health Status Indicators¹

Natality

Percent Low Birth Weight Infants	6.0%
 Percent of Mothers Receiving 	
Care in 1st Trimester	59.0%
 Percent of Mothers Who 	
Used Tobacco While Pregnant ²	28.9%
Births Less Than 37 Weeks of Gestation	9.7%
Average Age of Mother	
oTeenage Pregnancy Rate ³	30.9

Mortality⁴

ALL CAUSES

ALL CAUSES	
Heart Disease	229.9
Acute Myocardial Infarction	116.2
Atherosclerotic Heart Disease	44.4
Heart Failure	16.2
Malignant Neoplasms (cancer)	192.2
Trachea, Bronchus, & Lung	54.5
Colon, Rectum, & Anus	20.2
Female Breast	18.8
Prostate	38.0
Pancreas	9.4
Leukemia	LNE
Non-Hodgkin's Lymphoma	
Cerebrovascular Disease	47.4
Chronic Lower Respiratory Diseases	36.9
Accidents	59.3
Motor Vehicle Accidents	23.1
Alzheimer's Disease	15.6
Diabetes Mellitus	
Influenza & Pneumonia	19.6
Intentional Self-Harm (suicide)	29.4
Chronic Liver Disease and Cirrhosis	25.1
Infant Mortality	LNE

•Denotes a health status indicator which is significantly lower than the state average.

 $\circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Inpatient Chemical Dependency Facilities

Dakotah Pride Center, Sisseton

Medicare Certified End Stage Renal Dialysis

Prairie Lakes Sisseton Dialysis, Sisseton

Rural Health Clinic:

Coteau Des Prairies Hospital-Sisseton Clinic, Sisseton Coteau Des Prairies Hospital-Wilmot Clinic, Wilmot Wilmot Clinic-Avera Hlth, Wilmot

Community Health Services

Community Health Services, WIC & Family

Planning: 405 Chestnut St East, Sisseton

All Women Count!

844 7

Dr. Joseph Kass, Rosholt Coteau Des Prairies Clinic, Sisseton Coteau Des Prairies Hospital, Sisseton Sisseton IHS Hospital, Sisseton Avera Health Wilmot, Wilmot Wilmot Clinic, Wilmot

Hospitals

Coteau Des Prairies, Sisseton31 beds/8 swing

Long-Term Care

Nursing Facilities:

Tekakwitha Nursing Center, Sisseton	. 75 beds
Wilmot Care Center, Wilmot	.32 beds
Assisted Living Centers:	
Countryside Inn Assisted Living, Rosholt	. 29 beds
Rosholt Care Center, Rosholt	4 beds
Greenleaf Assisted Living, Sisseton	.31 beds
Wilmot Care Cntr ALC	5 beds

Ridential Living Centers:

None

Home Health Agencies:

Coteau Des Prairies Hospital Home Care, Sisseton Prairie Lakes Home Care, Sisseton

Medicare Certified Hospices:


Prairie Lakes Hospice Sisseton/Webster Site, Sisseton

See Technical Notes for more information.

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Sanborn County is located in east central South Dakota and averages 4.7 persons per square mile.

2000 Population Information

Population	2,675
Percent White	
Percent American Indian	0.4%
Percent Age 65 or Over	19.5%
Percent Age 4 or Under	

Socioeconomic Indicators

Population Under 100% of Poverty	391
Percent of the Population	
Population Under 200% of Poverty	966
Percent of the Population	

Health Status Indicators¹

Natality

Percent Low Birth Weight Infants	5.9%
Percent of Mothers Receiving	
Care in 1st Trimester	78.0%
Percent of Mothers Who	
Used Tobacco While Pregnant ²	16.4%
Births Less Than 37 Weeks of Gestation	6.7%
Average Age of Mother	
Teenage Pregnancy Rate ³	LNE

Mortality⁴

ALL CAUSES	893.8
Heart Disease	193.9
Acute Myocardial Infarction	75.9
Atherosclerotic Heart Disease	44.6
Heart Failure	LNE
Malignant Neoplasms (cancer)	201.1
Trachea, Bronchus, & Lung	70.1
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Prostate	LNE
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	55.8
Chronic Lower Respiratory Diseases	46.7
Accidents	
Motor Vehicle Accidents	28.9
Alzheimer's Disease	43.4
Diabetes Mellitus	25.2
Influenza & Pneumonia	22.2
Intentional Self-Harm (suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

 \bullet Denotes a health status indicator which is significantly lower than the state average.

 $\circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Federally Qualified Health Center:

Whiting Memorial Clinic, Woonsocket

Community Health Services Community Health Services & WIC:

Sanborn County Courthouse, Woonsocket

All Women Count!

Whiting Memorial Clinic, Woonsocket

Hospitals

None

Long-Term Care

Nursing Facilities:

Assisted Living Centers:

None

Residential Living Centers:

None

Home Health Agencies:

None

Medicare Certified Hospices:

None


See Technical Notes for more information.

¹All rates based on population are calculated according to the 2000 U.S. Census

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Shannon County is located in the southwestern part of the state, along the Nebraska border and averages 6.0 persons per square mile.

2000 Population Information

Population	12,466
Percent White	4.5%
Percent American Indian	95.1%
Percent Age 65 or Over	4.8%
Percent Age 4 or Under	10.9%

Socioeconomic Indicators

Population Under 100% of Poverty	6,385
Percent of the Population	
Population Under 200% of Poverty	9,485
Percent of the Population	77.7%

Health Status Indicators¹

Natality

oPercent Low Birth Weight Infants	8.6%
 Percent of Mothers Receiving 	
Care in 1st Trimester	56.8%
 Percent of Mothers Who 	
Used Tobacco While Pregnant ²	14.2%
oBirths Less Than 37 Weeks of Gestation	12.6%
Average Age of Mother	
oTeenage Pregnancy Rate ³	87.5
. 4	

Mortality⁴

OALL CAUSES	2010.7
OHeart Disease	382.2
Acute Myocardial Infarction	123.8
Atherosclerotic Heart Disease	
○Heart Failure	42.6
OMalignant Neoplasms (cancer)	297.8
Trachea, Bronchus, & Lung	74.0
Colon, Rectum, & Anus	19.4
Female Breast	30.1
Prostate	48.8
Pancreas	18.1
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	76.0
OChronic Lower Respiratory Diseases	100.4
o Accidents	240.8
Motor Vehicle Accidents	170.9
Alzheimer's Disease	LNE
ODiabetes Mellitus	205.4
oInfluenza & Pneumonia	57.6
Intentional Self-Harm (suicide)	18.2
OChronic Liver Disease and Cirrhosis	131.0
oInfant Mortality	13.55
•	

• Denotes a health status indicator which is significantly lower than the state average.

ODenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Medicare Certified End Stage Renal Dialysis

Black Hills Dialysis, Pine Ridge Dialysis Management Group, Porcupine

Community Health Services

WIC Sites:

Kyle Health Center, Kyle IHS Hospital Building, Pine Ridge Porcupine Clinic, Porcupine

All Women Count!

Kyle IHS Health Center, Kyle Pine Ridge IHS Hospital, Pine Ridge

Hospitals

Indian Health Service, Pine Ridge

Long-Term Care

Nursing Facilities:

None

Assisted Living Centers:

Vone

Residential Living Centers:

None

Home Health Agencies:

None

Medicare Certified Hospices:

None

See Technical Notes for more information.

¹All rates based on population are calculated according to the 2000 U.S. Census.


²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Spink County

Demographic Information



Spink County is located in the center of eastern South Dakota and averages 5.0 persons per square mile.

2000 Population Information

Population	7,454
Percent White	97.6%
Percent American Indian	1.8%
Percent Age 65 or Over	18.9%
Percent Age 4 or Under	5.6%

Socioeconomic Indicators

Population Under 100% of Poverty	896
Percent of the Population	12.8%
Population Under 200% of Poverty	2,457
Percent of the Population	

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	ó
Percent of Mothers Receiving	
Care in 1st Trimester	ó
Percent of Mothers Who	
Used Tobacco While Pregnant ²	ó
Births Less Than 37 Weeks of Gestation	ó
oAverage Age of Mother27.8	3
•Teenage Pregnancy Rate ³ 7.5	5

Mortality⁴

Will tailty	
ALL CAUSES	745.8
Heart Disease	216.7
Acute Myocardial Infarction	88.0
Atherosclerotic Heart Disease	58.6
Heart Failure	18.0
Malignant Neoplasms (cancer)	163.0
Trachea, Bronchus, & Lung	
Colon, Rectum, & Anus	
Female Breast	
Prostate	26.8
Pancreas	LNE
Leukemia	13.2
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	41.2
Chronic Lower Respiratory Diseases	
Accidents	
Motor Vehicle Accidents	16.6
Alzheimer's Disease	36.0
Diabetes Mellitus	10.6
Influenza & Pneumonia	18.0
Intentional Self-Harm (suicide)	LNE
Chronic Liver Disease and Cirrhosis	8.0
Infant Mortality	LNE
•	

•Denotes a health status indicator which is significantly lower than the state average.

ODenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Intermediate Care for the Mentally Retarded South Dakota Developmental Center, Redfield

Rural Health Clinic:

Redfield Clinic, Redfield

Community Health Services Community Health Services, WIC & Family

Planning: Spink County Courthouse, Redfield

All Women Count!

Doland Clinic, Doland Redfield Clinic, Redfield

Hospitals

Critical Access Hospital:

Community Memorial Hospital,

Long-Term Care

Nursing Facilities:

Golden Living Center, Redfield	68 beds
Eastern Star Home of South Dakota,	
Redfield	30 beds

Assisted Living Centers:

Eastern Star Home of SD AL, Redfield	8 beds
Lakeside Assisted Living, Redfield	22 beds

Residential Living Centers:

None

Home Health Agencies:

Community Memorial Home Health, Redfield

Medicare Certified Hospices:

None


See Technical Notes for more information.

¹All rates based on population are calculated according to the 2000 U.S.

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Stanley County is located in the center of the state and averages 1.9 persons per square mile.

2000 Population Information

Population	2,772
Percent White	93.0%
Percent American Indian	6.2%
Percent Age 65 or Over	11.0%
Percent Age 4 or Under	5.6%

Socioeconomic Indicators

Population Under 100% of Poverty	238
Percent of the Population	8.7%
Population Under 200% of Poverty	691
Percent of the Population	25.1%

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	6.4%
Percent of Mothers Receiving	
Care in 1st Trimester	78.0%
Percent of Mothers Who	
Used Tobacco While Pregnant ²	24.1%
Births Less Than 37 Weeks of Gestation	9.9%
Average Age of Mother	27.3
Teenage Pregnancy Rate ³	24.2

Mortality⁴

•ALL CAUSES	605.9
Heart Disease	81.0
Acute Myocardial Infarction	LNE
Atherosclerotic Heart Disease	LNE
Heart Failure	LNE
Malignant Neoplasms (cancer)	222.9
Trachea, Bronchus, & Lung	76.8
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Prostate	LNE
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	LNE
Chronic Lower Respiratory Diseases	81.1
Accidents	
Motor Vehicle Accidents	LNE
Alzheimer's Disease	LNE
Diabetes Mellitus	LNE
Influenza & Pneumonia	LNE
Intentional Self-Harm (suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

- •Denotes a health status indicator which is significantly lower than the state average.
- ODenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Federally Qualified Health Center:

Oahe Valley Health Center, Fort Pierre

Community Health Services Community Health Services & WIC:

Stanley County Courthouse, Fort Pierre

All Women Count!

Oahe Valley Health Center, Ft. Pierre

Hospitals

None

Long-Term Care

Nursing Facilities:

None

Assisted Living Centers:

None

Residential Living Centers:

None

Home Health Agencies:

None

Medicare Certified Hospices:

None


See Technical Notes for more information.

 $^{{}^{\}overline{}}$ All rates based on population are calculated according to the 2000 U.S. Census.

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Sully County is located in the central region of the state and averages 1.5 persons per square mile.

2000 Population Information

Population	1,556
Percent White	97.8%
Percent American Indian	1.3%
Percent Age 65 or Over	17.4%
Percent Age 4 or Under	5.7%

Socioeconomic Indicators

Population Under 100% of Poverty	186
Percent of the Population	12.1%
Population Under 200% of Poverty	514
Percent of the Population	

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	7.3%
Percent of Mothers Receiving	
Care in 1st Trimester	83.2%
 Percent of Mothers Who 	
Used Tobacco While Pregnant ²	10.2%
Births Less Than 37 Weeks of Gestation	9.1%
OAverage Age of Mother	28.3
Teenage Pregnancy Rate ³	LNE

Mortality⁴

•ALL CAUSES	630.7
Heart Disease	144.2
Acute Myocardial Infarction	39.3
Atherosclerotic Heart Disease	37.3
Heart Failure	LNE
Malignant Neoplasms (cancer)	133.2
Trachea, Bronchus, & Lung	71.1
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Prostate	LNE
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	66.3
Chronic Lower Respiratory Diseases	LNE
Accidents	75.0
Motor Vehicle Accidents	65.8
Alzheimer's Disease	LNE
Diabetes Mellitus	LNE
Influenza & Pneumonia	LNE
Intentional Self-Harm (suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE

- •Denotes a health status indicator which is significantly lower than the state average.
- ODenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Federally Qualified Health Center:

Onida Clinic, Onida

Community Health Services

WIC Site:

Sully County Courthouse, Onida

All Women Count!

Onida Clinic, Onida

Hospitals

None

Long-Term Care

Nursing Facilities:

None

Assisted Living Centers:

None

Residential Living Centers:

None

Home Health Agencies:

St. Mary's Home Health Onida Branch, Onida

Medicare Certified Hospices:

None

See Technical Notes for more information.

Source: South Dakota Department of Health, Office of Data, Statistics, and


Vital Records

 $[\]overline{\mbox{ }}$ All rates based on population are calculated according to the 2000 U.S. Census.

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Todd County is located in south central South Dakota, along the Nebraska border and averages 6.5 persons per square mile.

2000 Population Information

Population	9,050
Percent White	
Percent American Indian	86.9%
Percent Age 65 or Over	5.8%
Percent Age 4 or Under	

Socioeconomic Indicators

Population Under 100% of Poverty	4,294
Percent of the Population	
Population Under 200% of Poverty	6,525
Percent of the Population	73.4%

Health Status Indicators¹ 2003-2007

Natality

oPercent Low Birth Weight Infants	8.8%
 Percent of Mothers Receiving 	
Care in 1st Trimester	49.0%
Percent of Mothers Who	
Used Tobacco While Pregnant ²	20.9%
Births Less Than 37 Weeks of Gestation	10.3%
Average Age of Mother	
oTeenage Pregnancy Rate ³	61.1

Mortality⁴

OALL CAUSES	1347.6
Heart Disease	230.3
Acute Myocardial Infarction	83.5
Atherosclerotic Heart Disease	40.8
Heart Failure	
Malignant Neoplasms (cancer)	197.4
Trachea, Bronchus, & Lung	45.3
Colon, Rectum, & Anus	18.4
Female Breast	LNE
Prostate	LNE
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	42.6
Chronic Lower Respiratory Diseases	70.9
o Accidents	221.3
OMotor Vehicle Accidents	140.4
Alzheimer's Disease	LNE
ODiabetes Mellitus	105.4
Influenza & Pneumonia	
oIntentional Self-Harm (suicide)	62.0
oChronic Liver Disease and Cirrhosis	46.7
Infant Mortality	11.32

- Denotes a health status indicator which is significantly lower than the state average.
- $\circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Federally Qualified Health Center:

Mission Medical Clinic, Mission

Medicare Certified End Stage Renal Dialysis

Rosebud Dialysis Facility, Rosebud

Community Health Services

Community Health Services are provided by the Tripp County Public Health Services Offices.

All Women Count!

Mission Medical Clinic, Mission Rosebud IHS Hospital, Rosebud

Hospitals

Indian Health Service, Rosebud

Long-Term Care

Nursing Facilities:

None

Assisted Living Centers:

None

Residential Living Centers:

None

Home Health Agencies:

None

Medicare Certified Hospices:

None

See Technical Notes for more information.

Source: South Dakota Department of Health, Office of Data, Statistics, and

Vital Records

¹All rates based on population are calculated according to the 2000 U.S. Census


²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Tripp County

Demographic Information



Tripp County is located along the Nebraska border in south central South Dakota and averages 4.0 persons per square mile.

2000 Population Information

Population	6,430
Percent White	87.5%
Percent American Indian	12.2%
Percent Age 65 or Over	19.7%
Percent Age 4 or Under	6.3%

Socioeconomic Indicators

Population Under 100% of Poverty	1,254
Percent of the Population	19.9%
Population Under 200% of Poverty	2,793
Percent of the Population	

¹All rates based on population are calculated according to the 2000 U.S. Census.

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	7.7%
Percent of Mothers Receiving	
Care in 1st Trimester	73.6%
oPercent of Mothers Who	
Used Tobacco While Pregnant ²	27.1%
Births Less Than 37 Weeks of Gestation	8.7%
Average Age of Mother	26.4
Teenage Pregnancy Rate ³	19.0

Mortality⁴

ALL CAUSES	769.0
Heart Disease	216.7
OAcute Myocardial Infarction	115.0
Atherosclerotic Heart Disease	23.5
Heart Failure	6.9
Malignant Neoplasms (cancer)	182.9
Trachea, Bronchus, & Lung	53.8
Colon, Rectum, & Anus	11.6
Female Breast	17.0
Prostate	45.2
Pancreas	LNE
Leukemia	9.3
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	50.1
Chronic Lower Respiratory Diseases	44.8
Accidents	31.6
Motor Vehicle Accidents	20.9
Alzheimer's Disease	20.7
Diabetes Mellitus	40.1
Influenza & Pneumonia	27.7
Intentional Self-Harm (suicide)	LNE
Chronic Liver Disease and Cirrhosis	11.7
Infant Mortality	LNE

• Denotes a health status indicator which is significantly lower than the state average.

 $\circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Community Health Services Community Health Services/PHA, WIC & Family

Planning: Winner Regional Healthcare Center, Winner

All Women Count!

Avera Winner Medical Clinic, Winner Dr. Gregg Tobin, Winner Family Practice Associates of Winner, Winner

Hospitals

Critical Access Hospital:

Winner Regional Healthcare Center, Winner25 beds/15 swing

Long-Term Care

Nursing Facilities:

Winner Regional Healthcare Center, Winner 81 beds

Assisted Living Centers:

Colome's Rose Manor, Colome	. 15	beds
Elder Inn, Winner	40	beds
Golden Prairie Manor, Winner	40	beds

Residential Living Centers:

None

Home Health Agencies:

Winner Regional Home Health, Winner

Medicare Certified Hospices:

Sanford Hospice, Winner

See Technical Notes for more information.


²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Turner County

Demographic Information



Turner County is located in southeastern South Dakota and averages 14.3 persons per square mile.

2000 Population Information

Population	8,849
Percent White	98.9%
Percent American Indian	0.5%
Percent Age 65 or Over	20.4%
Percent Age 4 or Under	5.7%

Socioeconomic Indicators

Population Under 100% of Poverty	617
Percent of the Population	
Population Under 200% of Poverty	2,469
Percent of the Population	28.6%

 $^{{}^{\}rm I}$ All rates based on population are calculated according to the 2000 U.S. Census.

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	6.4%
Percent of Mothers Receiving	
Care in 1st Trimester	80.2%
Percent of Mothers Who	
Used Tobacco While Pregnant ²	17.0%
Births Less Than 37 Weeks of Gestation	8.8%
Average Age of Mother	27.3
•Teenage Pregnancy Rate ³	7.7

Mortality⁴

•ALL CAUSES	706.9
Heart Disease	207.1
Acute Myocardial Infarction	69.3
Atherosclerotic Heart Disease	78.6
Heart Failure	9.4
Malignant Neoplasms (cancer)	149.5
Trachea, Bronchus, & Lung	40.2
Colon, Rectum, & Anus	15.0
Female Breast	32.1
Prostate	23.9
Pancreas	7.3
Leukemia	12.0
Non-Hodgkin's Lymphoma	7.7
Cerebrovascular Disease	44.8
•Chronic Lower Respiratory Diseases	22.1
Accidents	42.2
Motor Vehicle Accidents	27.8
Alzheimer's Disease	21.2
Diabetes Mellitus	26.1
Influenza & Pneumonia	23.3
Intentional Self-Harm (suicide)	LNE
Chronic Liver Disease and Cirrhosis	LNE
Infant Mortality	LNE
-	

• Denotes a health status indicator which is significantly lower than the state average.

 $\circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Rural Health Clinic:

Centerville Medical Clinic, Centerville Marion Clinic, Marion Parker Area Medical Clinic, Parker Viborg Medical Clinic, Viborg

Community Health Services Community Health Services/PHA & WIC:

Pioneer Memorial Hospital, Viborg Turner County Courthouse, Parker

All Women Count!

Rural Medical Clinic, Marion

Hospitals

Critical Access Hospital:

Pioneer Mem Hospital, Viborg......12 beds/12 swing

Long-Term Care

Nursing Facilities:

Sunset Manor Avera Health, Irene	42 beds
Tieszen Memorial Home, Marion	64 beds
Pioneer Memorial Nursing Home, Viborg	52 beds
Assisted Living Centers:	
Good Samaritan Center, Centerville	14 beds
Marion Assisted Living Center, Marion	16 beds
Parker Assisted Living Center, Parker	14 beds
Evergreen ALC, Viborg	24 beds
Pioneer Inn, Viborg	12 beds
Residential Living Centers:	
Pioneer Villa, Viborg	20 beds

Home Health Agencies:

Marion Home Care, Marion

Pioneer Memorial Hospital Home Care, Viborg

Medicare Certified Hospices:

None

See Technical Notes for more information.


²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.

Union County

Demographic Information



Union County is located in the southeastern corner of the state and averages 27.3 persons per square mile.

2000 Population Information

Population	12,584
Percent White	96.8%
Percent American Indian	0.7%
Percent Age 65 or Over	13.5%
Percent Age 4 or Under	6.9%

Socioeconomic Indicators

Population Under 100% of Poverty	681
Percent of the Population	5.5%
Population Under 200% of Poverty	2,521
Percent of the Population	20.3%

¹All rates based on population are calculated according to the 2000 U.S.

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	6.9%
oPercent of Mothers Receiving	
Care in 1st Trimester	9.1%
 Percent of Mothers Who 	
Used Tobacco While Pregnant ²	4.3%
oBirths Less Than 37 Weeks of Gestation	1.9%
OAverage Age of Mother	
•Teenage Pregnancy Rate ³	6.5

Mortality⁴

• ALL CAUSES

•ALL CAUSES	
Heart Disease	165.6
Acute Myocardial Infarction	59.1
Atherosclerotic Heart Disease	48.7
Heart Failure	7.3
Malignant Neoplasms (cancer)	214.7
Trachea, Bronchus, & Lung	65.4
Colon, Rectum, & Anus	16.1
Female Breast	12.0
Prostate	42.1
Pancreas	19.2
Leukemia	7.1
Non-Hodgkin's Lymphoma	5.8
Cerebrovascular Disease	38.2
Chronic Lower Respiratory Diseases	38.2
Accidents	35.0
Motor Vehicle Accidents	8.3
Alzheimer's Disease	29.3
Diabetes Mellitus	30.7
Influenza & Pneumonia	10.1
Intentional Self-Harm (suicide)	7.5
Chronic Liver Disease and Cirrhosis	12.4
Infant Mortality	LNE
•	

• Denotes a health status indicator which is significantly lower than the state average.

 $\circ Denotes$ a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Ambulatory Surgery Center

Siouxland Urology Center, Dakota Dunes

Federally Qualified Health Center:

Alcester Medical Clinic, Alcester Community Health Clinic, Elk Point

Rural Health Clinic:

Sioux Valley Clinic, Beresford

Community Health Services

Community Health Services & WIC:

Union County Courthouse, Elk Point

Family Planning Clinics:

Alcester Medical Center, Alcester Elk Point Community Health Clinic, Elk Point

All Women Count!

699 2

Alcester Medical Center, Alcester Sanford Health Clinic, Beresford Family Health Care of Siouxland at the Dunes, Dakota Dunes

Union County Health Foundation Elk Point, Elk Point

Hospitals

Specialized Hospital:

Siouxland Surgery Center, Dakota Dunes 20 beds

Long-Term Care

Nursing Facilities:

Assisted Living Centers:	
Prairie Estates Care Center, Elk Point	33 beds
Bethesda of Beresford, Beresford	68 beds
Morningside Manor, Alcester	50 beds

Residential Living Centers:

WEL Home Health. Elk Point

Medicare Certified Hospices:


None

See Technical Notes for more information.

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Walworth County is located in north central South Dakota, near the North Dakota border and averages 8.4 persons per square mile.

2000 Population Information

Population	5,974
Percent White	
Percent American Indian	13.0%
Percent Age 65 or Over	21.9%
Percent Age 4 or Under	

Socioeconomic Indicators

Population Under 100% of Poverty	1,049
Percent of the Population	
Population Under 200% of Poverty	2,506
Percent of the Population	

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	4.1%
Percent of Mothers Receiving	
Care in 1st Trimester	72.0%
Percent of Mothers Who	
Used Tobacco While Pregnant ²	21.0%
Births Less Than 37 Weeks of Gestation	6.8%
Average Age of Mother	26.5
•Teenage Pregnancy Rate ³	9.4

Mortality⁴

ALL CALIGES

ALL CAUSES	841.5
Heart Disease	223.1
Acute Myocardial Infarction	78.5
Atherosclerotic Heart Disease	62.1
Heart Failure	11.5
Malignant Neoplasms (cancer)	173.8
Trachea, Bronchus, & Lung	
Colon, Rectum, & Anus	16.6
Female Breast	25.5
Prostate	LNE
Pancreas	LNE
Leukemia	8.1
Non-Hodgkin's Lymphoma	0.8
Cerebrovascular Disease	57.1
Chronic Lower Respiratory Diseases	31.9
Accidents	83.9
OMotor Vehicle Accidents	62.2
oAlzheimer's Disease	49.8
Diabetes Mellitus	42.1
Influenza & Pneumonia	21.6
Intentional Self-Harm (suicide)	LNE
Chronic Liver Disease and Cirrhosis	22.7
Infant Mortality	LNE

•Denotes a health status indicator which is significantly lower than the state average.

ODenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Community Health Services/PHA, WIC & Family Planning:

Mobridge Regional Hospital, Mobridge

All Women Count!

Mobridge Medical Clinic, Mobridge Mobridge Regional Hospital, Mobridge Avera Selby Clinic, Selby

Hospitals

Critical Access Hospital:

Mobridge Regional Hosp, Mobridge25 beds/10 swing

Long-Term Care

Nursing Facilities:

Golden Living Center, Mobridge	109	beds
Good Samaritan Society, Selby	46	beds

Assisted Living Centers:

Prairie Sunset Village, Mobridge	. 16	beds
Good Samaritan Society, Selby	8	beds

Residential Living Centers:

None

Home Health Agencies:

Mobridge Regional Hospital HHA, Mobridge

Medicare Certified Hospices:

None


See Technical Notes for more information.

¹All rates based on population are calculated according to the 2000 U.S. Census

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Yankton County is located in southeastern South Dakota on the Nebraska border and averages 41.5 persons per square mile.

2000 Population Information

Population	21,652
Percent White	
Percent American Indian	2.2%
Percent Age 65 or Over	14.6%
Percent Age 4 or Under	

Socioeconomic Indicators

Population Under 100% of Poverty	1,920
Percent of the Population	9.6%
Population Under 200% of Poverty	5,858
Percent of the Population	29.3%

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	7.1%
oPercent of Mothers Receiving	
Care in 1st Trimester	88.1%
oPercent of Mothers Who	
Used Tobacco While Pregnant ²	22.2%
Births Less Than 37 Weeks of Gestation	7.6%
OAverage Age of Mother	27.3
Average Age of Mother Teenage Pregnancy Rate ³	12.3

Mortality⁴

ALL CAUSES	763.0
Heart Disease	225.0
Acute Myocardial Infarction	90.1
Atherosclerotic Heart Disease	69.7
Heart Failure	12.0
Malignant Neoplasms (cancer)	183.6
Trachea, Bronchus, & Lung	
Colon, Rectum, & Anus	20.7
Female Breast	16.8
Prostate	20.6
Pancreas	8.8
Leukemia	6.2
Non-Hodgkin's Lymphoma	8.5
Cerebrovascular Disease	54.7
Chronic Lower Respiratory Diseases	38.4
Accidents	
Motor Vehicle Accidents	15.9
Alzheimer's Disease	25.1
Diabetes Mellitus	35.5
Influenza & Pneumonia	25.9
Intentional Self-Harm (suicide)	10.9
Chronic Liver Disease and Cirrhosis	
Infant Mortality	5.26
• Denotes a health status indicator which is significant	ntly lawar than

• Denotes a health status indicator which is significantly lower than the state average.

ODenotes a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Ambulatory Surgery Center

Yankton Medical Clinic, P.C. ASC, Yankton

Medicare Certified End Stage Renal Dialysis

Avera Sacred Heart Hospital Dialysis, Yankton

Community Health Services

Community Health Services & WIC:

Yankton County Government Center, Yankton

Family Planning Clinics:

Yankton Family Planning, Yankton

All Women Count!

Yankton Area Family Planning, Yankton Yankton Medical Clinic, Yankton

Hospitals

Avera Sacred Heart Hosp, Yankton....144 beds/10 swing

Specialized Hospitals:

SD Human Services Center, Yankton	133 beds
Lewis & Clark Specialty Hospital, Yankton	6 beds

Long-Term Care

Avera Sister James/Yankton Care, Yankton..... 187 beds

Nursing Facilities:

SD Human Services Centers, Yankton	69 beds
Assisted Living Centers:	
Cedar Village, Yankton	21 beds
Majestic Bluffs, Yankton	32 beds
Pine Lane Estates, Yankton	36 beds
Pine Lane West ALC, Yankton	24 beds
Prairie Homes ALC, Yankton	32 beds
Walnut Village, Yankton	10 beds
Residential Living Centers:	
Pine Lane West, Yankton	18 beds

Home Health Agencies:

Avera Sacred Heart Home Care Services, Yankton

YMC Home Care, Yankton **Medicare Certified Hospices:**

Avera Sacred Heart Hospice, Yankton


See Technical Notes for more information.

¹All rates based on population are calculated according to the 2000 U.S. Census.

²Data for mothers who used tobacco are self-reported.

³Teenage pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.



Ziebach County is located in north central South Dakota and averages 1.3 persons per square mile.

2000 Population Information

Population	2,519
Percent White	26.4%
Percent American Indian	73.2%
Percent Age 65 or Over	7.5%
Percent Age 4 or Under	10.8%

Socioeconomic Indicators

Population Under 100% of Poverty	1,256
Percent of the Population	
Population Under 200% of Poverty	1,817
Percent of the Population	72.1%

Health Status Indicators¹ 2003-2007

Natality

Percent Low Birth Weight Infants	6.0%
 Percent of Mothers Receiving 	
Care in 1st Trimester	59.6%
Percent of Mothers Who	
Used Tobacco While Pregnant ²	25.9%
Births Less Than 37 Weeks of Gestation	13.1%
Average Age of Mother	
Teenage Pregnancy Rate ³	22.2

Mortality⁴

ALL CAUSES739.6
•Heart Disease
Acute Myocardial Infarction85.6
Atherosclerotic Heart Disease LNE
Heart FailureLNE
Malignant Neoplasms (cancer)
Trachea, Bronchus, & LungLNE
Colon, Rectum, & AnusLNE
Female BreastLNE
ProstateLNE
PancreasLNE
LeukemiaLNE
Non-Hodgkin's LymphomaLNE
Cerebrovascular Disease LNE
Chronic Lower Respiratory Diseases
Accidents
Motor Vehicle AccidentsLNE
Alzheimer's DiseaseLNE
oDiabetes Mellitus
Influenza & PneumoniaLNE
Intentional Self-Harm (suicide)LNE
Chronic Liver Disease and CirrhosisLNE
Infant MortalityLNE

•Denotes a health status indicator which is significantly lower than the state average.

 $\circ \mbox{Denotes}$ a health status indicator which is significantly higher than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

Health Care Resources

Community Health Services
Community Health Services, WIC & Family
Planning: Ziebach County Courthouse, Dupree

Disease Intervention Office:

Ziebach County Courthouse, Dupree

Hospitals

None

Long-Term Care

Nursing Facilities:

None

Assisted Living Centers:

None

Residential Living Centers:

None

Home Health Agencies:

None

Medicare Certified Hospices:

None

See Technical Notes for more information.

¹All rates based on population are calculated according to the 2000 U.S. Census

²Data for mothers who used tobacco are self-reported.

 $^{^3\}mathrm{Teenage}$ pregnancy rate is live births, fetal deaths, and abortions per 1,000 females age 15-17.

⁴All mortality rates except infant mortality are age-adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births.